

Demolition Tools Catalogue
CONTENTS

CONTENTS	PAGE
Warranty	2
Tool Selection	2
Care and Use	3
Chisel Orientation	4
Catalogue Numbering System	5
Hammer Type & Tool Reference	5-12
Arrowhead	13-14
Atlas Copco	15-21
Caterpillar	22-24
Everdigm	25-27
Furukawa	28-32
Hanwoo	33-34
Indeco	35-38
Italdem	39-41
Krupp	42-46
Montabert	47-54
MSB	55-58
NPK	59-64
Promove	65-66
Rammer	67-76
Rotair	77
Socomec	78-80
Soosan	81-83
Toku	84-86
Toyo	87-89
Catalogue number index	90-94
Warranty Guide	95-96

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



PAGE
1

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


WARRANTY

Thomas Turton's tools are guaranteed against defects in raw material and manufacture.

No other warranty is implied or expressed. The company's liability in respect of any warranty claims is limited to replacement and does not extend to any other expenditure incurred or to any consequential damage. Warranty claims are subject to immediate notification of any problems and return of the goods to Thomas Turton under their returned goods system. See pages 95 & 96 for our full warranty details

TOOL SELECTION

Correct selection of tools is the first step in obtaining maximum life from the product.



Conical Point

for general demolition work where penetrative breaking is required.



Pyramid Points

for use where increased breakout forces are required



XType Point

for use in soft or high dust operations.




Chisels

as for Points but also where a cutting action is required, eg. trenching and benching
Note: Chisels give higher wear rates and stress levels in the retainer flat areas of the tool.




Grooved Chisel

for use in soft or high dust operations.



Driving Tool

for driving in posts, pipes etc.



Wide Chisels

for increased productivity in softer materials. Tarmac Cutters - as Wide Chisels but with 90 degree orientation for cutting/trenching.




Rail Guard

for driving in rail guards.



Blunts

for impact breaking, eg. secondary breaking and also scaling in mines and tunnels, etc.




Upset Blunt

Blunt with increased diameter at working end to give increased life and wear resistance.



Rammer Stems & Pads

for compacting loose ground.



Hard Rock Chisels

for hard and abrasive rock conditions

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



PAGE
2

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Working Angle

Critical to tool life is using the tool at the correct working angle of 90° to the working surface. Failure to do this will result in high contact pressure between the tool and the bushings and the likelihood of galling between the surfaces. In turn this can lead to premature failure of the tool plus damage and rapid wear to the bushings. Worn bushings can allow the tool to be angled over to a position where the striking face is hit at an angle by the piston.

Lubrication

Lubrication of the tool/bushing with the correct quality high temperature/high pressure grease at regular intervals is essential. Such greases are best able to cope with the extreme contact pressures generated by an incorrect working angle, leverage and excessive bending etc.

USE OF CHEAP SUBSTITUTES (OR NO GREASE AT ALL) IS FALSE ECONOMY AND WILL RESULT IN PREMATURE TOOL FAILURE.

Blank Firing

Continuing to use the hammer when the tool is not or only partially in contact with the work surface will result in the tool being fired down on to the retainer pin. This will cause heavy wear and damage to the upper retainer flat radius area and the retaining pin itself.

Tools should be examined regularly, eg. every 40 hours for damage in this area which should then be ground out.

At the same time as the tool is examined the opportunity should be taken to check the tool bushings for wear and damage with a view to replacement or reconditioning as necessary.

Overheating

Avoid continuous working in one position. Do not strike in one spot for more than 10 - 15 seconds before changing the tool to another position. Failure to do this can lead to excessive heat build-up at the working end with 'mushrooming' as a consequence.

Leverage/Bending

Using the tool as a lever to help break the ground is a common tool breaker. Avoid leverage and excessive bending at all times.

Loose running

Keep the boom and hammer feed sufficient to ensure that the tool is held against the hammer shoulder stop, at all times when working.

Tool Reconditioning

Under most normal conditions the tool will not need reconditioning. However, tools that have lost their shape on the working end can cause high stresses throughout the tool and hammer.

Reconditioning by milling or turning is recommended. Welding or flame cutting is not recommended as the heat generated could cause structural changes within the material which in turn can lead to premature failure or rapid wear.


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



CHISEL ORIENTATION

Transverse (East/West) have the blade of the tool transverse to the axis of the carrier boom when mounted. All standard chisels and wide chisels have the blade in the transverse mode.

In-Line (North/South) have the chisel tool blade "In-Line" (parallel) to the axis of the carrier boom. All in-line chisels and tarmac cutters have the blade in the "In-line" mode.



FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



PAGE
4

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CATALOGUE NUMBERING SYSTEM

All catalogue numbers start with 2 letters, followed by a 2 digit number, which is the Thomas Turton designation for the hammer type, eg. **MB35P0410**.

The second section defines the tool type and length, eg. MB35**P0410**. The working end configuration is defined by a letter (see below) and the 4 digits represent the tool length in mm, eg. **0410**:

'P' = Point (Conical)	'WC' = Wide Chisel, followed by blade width, eg. MB35C0410-WC-120
'C' = Chisel	'TC' = Tarmac Cutter (in-line wide chisel) eg. MB35C04100-TC-120
'B' = Blunt	'HRC' = Hard Rock Chisel
'PP' = Pyramid Point	
'XP' = 'X' point	
'GC' = grooved chisel	
'BU' = blunt upset	

For correct selection of tool types see page 2

Note: For special tools such as Railguards, Rammer Stem & Pads and Driving Tools, please contact our sales office.

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
ALLIED		
HY-RAM 77	165	43
HY-RAM 88	171	44
HY-RAM 99	ON REQUEST	
HY-RAM 700	159	42
HY-RAM 710/711	161	42
HY-RAM 711B	162	42
HY-RAM 715	163	42
HY-RAM 720	ON REQUEST	
HY-RAM 725	164	43
HY-RAM 730	167	43
HY-RAM 735	168	43
HY-RAM 740	169	43
HY-RAM 745	170	44
HY-RAM 750	172	44
HY-RAM 750B	173	44
HY-RAM 755	174	44
HY-RAM 770	ON REQUEST	
HY-RAM 770B	175	44
HY-RAM 775CS	176	45
HY-RAM 780	ON REQUEST	
HY-RAM 785	177	45
HY-RAM 790/795	ON REQUEST	
HY-RAM 795CS	178	45
HY-RAM 797	179	45
HY-RAM 800/805	180	45
HY-RAM 905	182	46
AR48	ON REQUEST	
AR62	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
AR70B	241	57
AR75B	242	57
AR85	243	57
AR95	244	57
AR110B	ON REQUEST	
AR120	247	58
AR130B	248	58
AR140	249	58
AR160C	250	58
AS342	12	15
AS352	13	15
AS362	14	15
AS370	15	15
AS380	16	15
ARDEN		
AB 100/102	ON REQUEST	
AB 150/152/210/212	ON REQUEST	
AB 280/282/292/350/352	ON REQUEST	
AB 450/500/502	ON REQUEST	
AB 1050/1052	ON REQUEST	
AB 1350/1352	ON REQUEST	
AB 1850/1852	ON REQUEST	
AB 3350/3352/3552	ON REQUEST	
ARROWHEAD		
2T	281	63
4T	283	63
6T	ON REQUEST	
10T	8	14

MACHINE	FIGURE NO.	PAGE NO.
16T	ON REQUEST	
22T	ON REQUEST	
S10	1	13
S20	2	13
S30 MK1 (WITH COLLAR)	3	13
S30 MK3 (WITHOUT COLLAR)	4	13
S40	5	13
S50	6	13
S60	7	13
S100	8	14
S130	9	14
S180	10	14
S230	11	14
ATLAS COPCO		
PB110	12	15
PB160	13	15
PB210	14	15
PB310	15	15
PB420/530	16	15
SB50, SBC 60	17	15
SB52	18	16
SB100, SBC 115	19	16
SB102	20	16
SB150, SB152, SBC 255	21	16
SB200, SB202, SBC 410	22	16
SB300/SB302, SBC 610, SBC650	23	16
SB300 SCALER	24	17
TEX250H	25	17
TEX 250H SCALER	26	17

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

**PAGE
51**

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

HAMMER TYPE & TOOL REFERENCE INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
6

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MACHINE	FIGURE NO.	PAGE NO.
SB450, SBC 800/850, SB452	27	17
SB450 SCALER	ON REQUEST	
SB552	28	17
SB702	29	17
MB500	33	18
MB700/800	34	18
MB750	35	18
MB1000	36	19
MB1200	37	19
MB1500	38	19
MB1600	39	19
MB1700	40	19
HB2000	41	19
HB2200	42	20
HB2500	43	20
HB3000/HB3100	44	20
HB3600	45	20
HB4200	46	20
HB4700	47	21
HB5800	48	21
HB7000	49	21
HBC 1100/1700	29	17
HBC 2500	30	18
HBC 4000	31	18
HBC 6000	32	18
TEX 30	17	15
TEX 100H/75H	19	16
TEX 110H	21	16
TEX 180H	22	16
TEX 250H	25	17
TEX 250H SCALER	26	17
TEX 300	ON REQUEST	
TEX 400H/HS	27	17
TEX 600H/700H/900H	29	17
TEX 1400H	30	18
TEX 1800H/2000H	31	18
BERCO		
BB42	12	15
BB52	13	15
BB62	14	15
BB70	15	15
BB80	16	15
BOBCAT		
B280	201	50
B300	191	48
B380	202	50
B500	192	48
B580	203	50
B680	204	50
B600/B700	193	48
B850/B950	194	48
B880	205	50
B980	206	51
B1180	207	51
1250	ON REQUEST	
B1200/B1400	196	49
1560	ON REQUEST	
1750	304	67
2500/2560/2570/3500/3560/3570	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
5500	ON REQUEST	
6560	ON REQUEST	
BROKK		
BROKK 40	17	15
BROKK 50	18	16
BROKK 90	21	16
BROKK 160/180	22	16
BROKK 250/260	23	16
BROKK 330	27	17
BROKK 400	28	17
BROKK 800	36	19
BTI		
BTI BT110	ON REQUEST	
BTI BT285	ON REQUEST	
BTI BT310	ON REQUEST	
BTI BT510	ON REQUEST	
BTI BT710	ON REQUEST	
BTI BT810	ON REQUEST	
BTI BT910	ON REQUEST	
BTI BT1710	ON REQUEST	
BTI BT2010	ON REQUEST	
BTI BT2225	ON REQUEST	
CASE		
CB18	ON REQUEST	
CB27	ON REQUEST	
CB32	ON REQUEST	
CB37	ON REQUEST	
CB45	ON REQUEST	
CB65	ON REQUEST	
CB80	ON REQUEST	
CB85	ON REQUEST	
CB90	ON REQUEST	
CB120	ON REQUEST	
CB135	ON REQUEST	
CB150	ON REQUEST	
CB240	ON REQUEST	
CB260S	ON REQUEST	
CB290	ON REQUEST	
CB320S	ON REQUEST	
CB370S	ON REQUEST	
CB400S	ON REQUEST	
CB550S	ON REQUEST	
CB700S	ON REQUEST	
CB1450	ON REQUEST	
CB2850	ON REQUEST	
CATERPILLAR		
CAT H45/H45FT	303	67
CAT H50/H50FT	304	67
CAT H63/H63FT	305	67
CAT H70/H70FT	307	67
CAT H90/H90FT	309	68
CAT H100/H100FT	311	68
CAT 110/B110	312	68
CAT H115S	321	70
CAT 115C/116	313	68
CAT H120S	314	68
CAT H130S	324	70
CAT C130	315	69

MACHINE	FIGURE NO.	PAGE NO.
CAT 140/B140S/H140AS	317	69
CAT H140CS,140DS	325	70
CAT 160/B160/H160AS	318	69
CAT H160CS.H160DS	327	71
CAT 170/B170/H170	319	69
CAT H180S	329	71
CAT H180DS	330	71
CAT 195/B195/H195	331	71
CAT H35DS	50	22
CAT H45DS	51	22
CAT H55DS	52	22
CAT H65DS	53	22
CAT H35ES	54	22
CAT H45ES	55	22
CAT H55ES	56	22
CAT H65ES	57	23
CAT H75ES	58	23
CAT H95ES	59	23
CAT H110ES	60	23
CAT H115ES	61	23
CAT H120ES	62	23
CAT H130ES	63	23
CAT H140ES	64	24
CAT H160ES	65	24
CAT H180ES	66	24
CHICAGO PNEUMATIC (CP)		
CP100 / RX2	12	15
CP150 / RX3	13	15
CP200 / RX4	14	15
CP300 / RX6	15	15
CP400 / CP550 / RX8 / RX11	16	15
CP750 / RX14	170	44
CP1150	173	44
CP1550 / CP1650 / RX22	175	44
CP2250 / RX29/RX30	177	45
RX38	43	20
CP2350	31	18
CP3050 / RX45 / RX46	44	20
CP4250 / RX53 / RX54	46	20
D&A		
S80, 8V	ON REQUEST	
S150, 200, 15V, 17V, 20V	ON REQUEST	
S300, S500, 30V, 40V, 50V	ON REQUEST	
S700, 70V	ON REQUEST	
S1300, 130V	ON REQUEST	
150V, 151V	ON REQUEST	
180V, 1800	ON REQUEST	
S2200, 200V, 220V	ON REQUEST	
S3000, 300V	ON REQUEST	
S3600, 360V	ON REQUEST	
450V	ON REQUEST	
DAEMO		
DMB S150V	ON REQUEST	
DMB S500V	ON REQUEST	
DMB S900V	ON REQUEST	
DMB S1300V	ON REQUEST	
DMB S1800V / DMB S2000V	ON REQUEST	
DMB S2200, 2200 II, S2300V	ON REQUEST	
DMB S3000V / S3600V	ON REQUEST	

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
DMB S5000V	ON REQUEST	
DMB50	ON REQUEST	
DMB90	ON REQUEST	
DMB140	ON REQUEST	
DMB180	ON REQUEST	
DMB210	ON REQUEST	
DMB230	ON REQUEST	
DMB300 / 360	ON REQUEST	

DAINONG (DNB)

DNB K20	82	28
DNB K25	98	30
DNB K30	99	31
DNB K50	101	31
DNB K80 / 100	103	31
DNB K120	104	31
DNB D50	309	68
DNB D60	313	68
DNB D70 / 90	315	69
DNB D110	317	69
DNB D130	319	69
DNB D20 IIS	ON REQUEST	
DNB D25 IIS	ON REQUEST	
DNB D60 IIS	ON REQUEST	
DNB D70 IIS / D90IIS	ON REQUEST	
DNB D110 IIS	ON REQUEST	
DNB D160 IIS	ON REQUEST	

DEHACO

DBH15	393	81
DBH91	ON REQUEST	
DBH380	406	83
DBH450	ON REQUEST	
DHB 35	425	87
DHB 55	426	87
DHB 75	427	87
DHB165	428	87
DHB 305	430	87
DHB 405	431	88
DHB 805	432	88
DHB 1250	433	88
DHB 1305	434	88
DHB 1605 (1405)	435	88
DHB 2305	436	88
DHB 3205 (4105)	432	88
DHB100S	ON REQUEST	
DHB150S	ON REQUEST	
DHB200S	ON REQUEST	
DHB250S	ON REQUEST	
DHB300S	ON REQUEST	
DHB350S	ON REQUEST	
DHB400S	ON REQUEST	
DHB1000S	ON REQUEST	
DHB1500S / DHB120	102	31
DHB2000S	103	31
DHB3600S	104	31
DHB4200S	ON REQUEST	

DEMOTER (VISTIRINI)

S65	ON REQUEST	
DM90, DM95E, S85	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
DM120, S130	ON REQUEST	
DM160, S170	ON REQUEST	
DM160RE	98	30
DM220 / 240 , S230	ON REQUEST	
DM240RE	85	28
S300 / 360	ON REQUEST	
DM400S	ON REQUEST	
S430	167	43
S550	ON REQUEST	
S800	ON REQUEST	

DOOSAN

DXB100H	221	53
DXB130H	222	53
DXB170H	223	53
DXB190H	224	54
DXB260H	225	54

DRAGO

DRH50 / 60 / 70 / 80	409	84
DRH120	410	84
DRH150	411	84
DRH180 / 250	412	84
DRH280	413	85
DRH650S / 900	415	85
DRH1150S / 1600S	416	85
DRH1900	417	85

EURORAM / GLOBORAM / ROCKMASTER

RM45	123	35
RM48	124	35
RM56	125	35
RM65	126	35
RM75	127	35
RM80	128	35
RM85 / 90	131	36
RM88	130	36
RM110	132	36
RM115	133	36
RM120	134	36
RM130	135	37
RM140	137	37
RM145	138	37
RM150	139	37
RM160	140	37
RM180	141	38
RM195	142	38
RM215	ON REQUEST	

EVERDIGM

EHB008	67	25
EHB01 / EHB02	68	25
EHB03	69	25
EHB04	70	25
EHB05	71	25
EHB06	72	26
EHB10	73	25
EHB13	74	26
EHB17	75	26
EHB20	76	26
EHB25	77	27
EHB30	78	27

MACHINE	FIGURE NO.	PAGE NO.
EHB40	79	27
EHB50	80	27

FURUKAWA

F1	81	28
F2	82	28
F3	83	28
F4	84	28
F5	85	28
F6	86	28
F9	87	29
F12	88	29
F19	89	29
F20 / F22	90	29
F27	91	29
F30 / F35	92	29
F45	93	30
F70	94	30
F100	95	30
FXJ / FX125	106	32
FXJ / FX175	107	32
FXJ / FX275	108	32
FXJ / FX375	109	32
FXJ / FX475	110	32
HB1G	96	30
HB2G	97	30
HB3G	98	30
HB5G	99	31
HB8G	100	31
HB10G	101	31
HB15G	102	31
HB20G	103	31
HB30G	104	31
HB40G	105	32
HB100G	95	30
HB100	ON REQUEST	
HB200	ON REQUEST	
HB400	ON REQUEST	
HB700	ON REQUEST	
HB1100 / 1300	ON REQUEST	
HB1200 / 1500	ON REQUEST	
HB1600 / 1800 / 2000	ON REQUEST	

HANWOO / RHINO / MAGNUM

RHB 301-V / 302-V	111	33
RHB 302 / 303-V	112	33
RHB 303 / 303-VP	113	33
RHB 305 / 305-V	114	33
RHB 306	115	33
RHB 308	116	33
RHB 308-2 / 309	117	34
RHB 313-V / 314	118	34
RHB 320	119	34
RHB 322-2 / 323 / 325	120	34
RHB 328-2 / 330	121	34
RHB 340	122	34
RHB 350	ON REQUEST	

HUPPI

HUPPI 52	407	84
HUPPI 72	408	84
HUPPI 92	ON REQUEST	

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
7

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

HAMMER TYPE & TOOL REFERENCE INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
08

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MACHINE	FIGURE NO.	PAGE NO.
HUPPI 102	410	84
HUPPI 102 (MK2)	ON REQUEST	
HUPPI 302	412	84
HUPPI 402	413	85
HUPPI 902	415	85
HUPPI 1900 / 1902	420	86

HUSKY / JACTY

HH100	ON REQUEST	
HH150	ON REQUEST	
HH300	ON REQUEST	
HH500	ON REQUEST	
HH750	ON REQUEST	
HH1000	ON REQUEST	
HH1500	ON REQUEST	
HH2000	ON REQUEST	
HH3600	ON REQUEST	
HH4500	ON REQUEST	

IDROMECCANICA

IMI 85	183	47
IMI 88	368	77
IMI 260	185	47
IMI 600 / 605	186	47
IMI 1000 / 1010	187	47
IMI 1200	190	48

INAN MAKINA (MTB)

MT 10	ON REQUEST	
MT 15	409	84
MT 20	ON REQUEST	
MT 25	241	57
MT 30	ON REQUEST	
MT 35 / 36	242	57
MT 45	243	57
MT 120	246	57
MT 150	247	58
MT 170	248	58
MT 210	249	58
MT 275	250	58
MT 360	251	58

INDECO

HB5	126	35
HB8	128	35
HB12	131	36
HB18	ON REQUEST	
HB19	132	36
HB27	134	36
MES / UP 121 / 150P, HP150	123	35
MES / UP 180 / 181 / 200P, HP200	124	35
MES / UP 300 / 301 / 350P / 351P, HP300 / 350	125	35
MES / UP 451 / 452 / 462P / 521 / 550, HP500	126	35
MES / UP 553P, HP600	127	35
MES / UP 601 / 621 / 650P, HP700	129	36
UP 900, HP900	130	36
MES / UP 1200, HP1200	131	36
MES / UP 1500, HP1500	132	36
MES / UP 1750 / 1800, HP1800	133	36
MES / UP 2000, HP2000	134	36
MES / UP 2500, HP2500	135	37
HP2750	136	37

MACHINE	FIGURE NO.	PAGE NO.
MES / UP 3000, HP3000	137	37
MES / UP 3500, HP3500	138	37
MES / UP 4000 / 4001, HP4000	139	37
MES / UP 5000, HP5000	140	37
MES / UP 7000, HP7000	141	38
MES / UP 8500, HP9000	142	38
MES / UP 12000, HP12000	ON REQUEST	

ITALDEM

GK 85 / 86	143	39
GK 160 / 161	144	39
GK 211	145	39
GK 290 / 291	146	39
GK 360 / 361	147	39
GK 600 / 610 / 620	148	39
GK 950 / 960	149	40
GK 1050	150	40
GK 1350 / 1351	151	40
GK 1351S	152	40
GK 1600	153	40
GK 1800	154	40
GK 2300	ON REQUEST	
GK 2400	155	41
GK 3400 / 3500	156	41
GK 3800	157	41
K 80	183	47
K 270	185	47
K 550	186	47
K 1000	187	47
K 1030	189	48
K 1300	190	48
K 1900	ON REQUEST	
MK 95 / IM 12.S	ON REQUEST	
MK 350 / IM 65 / 70	ON REQUEST	
MK 650 / IM 100	ON REQUEST	
MK 1300 / IM210	ON REQUEST	
MK 1700	ON REQUEST	
MK 2600	ON REQUEST	
MK 3500	ON REQUEST	

JAB

JB8	ON REQUEST	
JB10	ON REQUEST	
JB20	ON REQUEST	
JB30	ON REQUEST	
JB40	ON REQUEST	
JB60	ON REQUEST	
JB80	ON REQUEST	

JACTY

NJB202 / JB-1S	ON REQUEST	
NJB203 / JB-3S	ON REQUEST	
NJB206 / JB-6S	ON REQUEST	
NJB212 / JB-12	ON REQUEST	
NJB215 / JB-15	ON REQUEST	
NJB221 / JB-21	ON REQUEST	
NJB227 / JB-27	ON REQUEST	

JCB

HM60	ON REQUEST	
HM100 / 100Q / 115 (45)	ON REQUEST	
HM140	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
HM160	304	67
HM165	21	16
HM260	306	67
HM265	22	16
HM360	308	67
HM385 / 386Q	23	16
HM460	309	68
HM480	186	47
HM495	27	17
HM550	310	68
HM560	313	68
HM630	189	48
HM660	314	68
HM690	210	51
HM760	315	69
HM850	311	68
HM860	34	18
HM960	318	69
HM1050	321	70
HM1150	320	69
HM1260 / HM1270Q	173	44
HM1350	314	68
HM1450	322	70
HM1560	39	19
HM1750	324	70
HM1760	40	19
HM2350	325	70
HM2460	42	20
HM2950	327	71
HM3060	36	19
HM3850	329	71
HM3950	330	71
HM4160	46	20

JKHB (KOMATSU)

JKHB 31	425	87
JKHB 51	426	87
JKHB 71	427	87
JKHB 101	428	87
JKHB 201	429	87
JKHB 301	430	87
JKHB 401	431	88
JKHB 801	432	88
JKHB 1101	433	88
JKHB 1401	434	88
JKHB 1500 / 1600	435	88
JKHB 2000	436	88
JKHB 3000	437	89

KENT

KB555	ON REQUEST	
KB999	ON REQUEST	
KF1	81	28
KF2	82	28
KF3	83	28
KF4	84	28
KF5	85	28
KF6	86	28
KF9	87	29
KF12	88	29
KF19	89	29
KF22	90	29

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
KF27	91	29
KF35	92	29
KF45	93	30
KF70	94	30
KF100	95	30
KHB100	ON REQUEST	
KHB200	ON REQUEST	
KHB400	ON REQUEST	
KHB700	ON REQUEST	
KHB1100 / 1300	ON REQUEST	
KHB1200 / 1500	ON REQUEST	
KHB1G	96	30
KHB2G	97	30
KHB3G	98	30
KHB5G	99	31
KHB8G	100	31
KHB10G	101	31
KHB15G	102	31
KHB20G	103	31
KHB30G	104	31
KHB40G	105	32
KHB50G	ON REQUEST	
KOMAC		
KB100	ON REQUEST	
KB150	ON REQUEST	
KB200	ON REQUEST	
KB250	ON REQUEST	
KB300	ON REQUEST	
KB350	ON REQUEST	
KB400	ON REQUEST	
KB1000	ON REQUEST	
KB1500	ON REQUEST	
KB2000	ON REQUEST	
KB3600	ON REQUEST	
KB4200	ON REQUEST	
TOR13	ON REQUEST	
TOR22 / 23	ON REQUEST	
KOMATSU		
JTHB08	407	84
JTHB10	408	84
JTHB20	409	84
JTHB30	410	84
JTHB40	411	84
JTHB50	412	84
JTHB60 / 65	413	85
JTHB70	ON REQUEST	
JTHB100	415	85
JTHB150	420	86
JTHB190	421	86
JTHB230	422	86
JTHB310	423	86
JTHB400	424	86
JKHB31	425	87
JKHB51	426	87
JKHB71	427	87
JKHB101	428	87
JKHB301	430	87
JKHB401	431	88
JKHB801	432	88
JKHB1101	433	88

MACHINE	FIGURE NO.	PAGE NO.
JKHB1401	434	88
JKHB1600	435	88
JKHB2000	436	88
JKHB3000	437	89
KRUPP (SEE ALSO ATLAS COPCO)		
HM45	158	42
HM50 / 55	159	42
HM60V	160	42
HM60 / 61 / 62 / 75	161	42
HM85 / 90 / 90V	162	42
HM100 / 110	ON REQUEST	
HM130 / 135 / 140 / 140V	163	42
HM170 / 185 / 190 / 190V	164	43
HM200	165	43
HM220 / 230	166	43
HM300 / 301 / 305	167	43
HM350 / 350V / MB500	168	43
HM400 / 401	ON REQUEST	
HM550 / 551 / 555 / 560CS / V	169	43
HM580 / MB700	170	44
HM600 / 601	171	44
HM700 / 701 / 702 / 705 / 706	172	44
HM710 / 711 / 712 / 715 / 720CS / V	173	44
HM780 / MB1200	174	44
HM800	ON REQUEST	
HM900 / 901 / 902	ON REQUEST	
HM950 / 951 / 952 / 957 / 960CS / V	175	44
HM1000V / MB1700	176	45
HM1200 / 1201 / 1205	ON REQUEST	
HM1300 / 1301 / 1305	ON REQUEST	
HM1500MV / HB2200	177	45
HM2000MV	178	45
HM2100 / 2300 / HB3000	179	45
HM2500MV / 2600 / HB4200	180	45
HM3000 / HB5800	181	45
HM4000 / HB7000	182	46
KUBOTA		
KM10	17	15
KM100	19	16
KM150	21	16
KM200	22	16
KM300	23	16
KM450	27	17
KXB 310	335	72
KXB 300 / 350	303	67
KXB 360	336	72
KXB 400 / BTB400	338	72
KXB 450	340	73
KXB 460	339	72
KXB 500	343	73
KXB 600	345	73
LIFTON		
LH70 / LH80	ON REQUEST	
LH110	ON REQUEST	
LH200	ON REQUEST	
LH170/300	ON REQUEST	
LH360	ON REQUEST	
LH500	ON REQUEST	
LH1000	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
MONTABERT		
BRH40	183	47
BRH75 / 76 / 90 / 91	184	47
BRH125	185	47
BRH250 / 270	186	47
BRH501 / 570	187	47
BRH620	188	47
BRH625 / 900	189	48
BRH750	190	48
BRH1100	ON REQUEST	
M30 (BRP30)	191	48
M50 (BRP45 / 50)	192	48
M70 (BRP60 / 70)	193	48
M85 / 95 / 100 (BRP85 / 95 / 100)	194	48
M125SX	195	49
M140 / 150 (BRP130 / 140 / 150)	196	49
M300	197	49
M600	198	49
M700	199	49
M900	200	49
SC06	201	50
SC08	202	50
SC12	203	50
SC16	204	50
SC22	205	50
SC28	206	51
SC36	207	51
SC42	208	51
SC50	209	51
V32 (BRV32)	210	51
V43 (BRV43)	211	51
V45 (BRV45)	212	52
V52 (BRV52)	ON REQUEST	
V53 (BRV53)	213	52
V55 (BRV55)	214	52
V65 (BRV65)	215	52
V1200 / V32	210	51
V1600	216	52
V1800	217	52
V2500	218	53
V3500	219	53
V4500	220	53
Z92 / Z91	ON REQUEST	
Z96	ON REQUEST	
(BLUE LINE)		
XL1000	221	53
XL1300	222	53
XL1700	223	53
XL1900	224	54
XL2600	225	54
MSB		
SAGA 20II	226	55
SAGA 30II	227	55
SAGA 40II	228	55
SAGA 50	229	55
SAGA 80 / 81	230	55
SAGA 100	231	55
SAGA 120	232	55
SAGA 180	233	56
SAGA 200II / 220	234	56

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
9

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

HAMMER TYPE & TOOL REFERENCE INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
10

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MACHINE	FIGURE NO.	PAGE NO.
SAGA 300	235	56
SAGA 350	236	56
MS 35AT	237	56
MS 45AT	238	56
MS 75AT	239	56
SAGA 1000	ON REQUEST	
SAGA 1500	ON REQUEST	
SAGA 2000	ON REQUEST	
MS200	240	57
MS220 / MS230H	241	57
MS225 / MS250H	242	57
MS300H	243	57
MS400H	244	57
MS450H / MS460H	245	57
MS500H / MS520H	246	57
MS550H	247	58
MS600	248	58
MS700	249	58
MS800 / MS810H	250	58
MS900	251	58
MS1000H	252	58

MTB		
MT10	ON REQUEST	
MT15	409	84
MT20 / MT21	ON REQUEST	
MT25	241	57
MT30	ON REQUEST	
MT35 / 36	242	57
MT45	243	57
MT65	ON REQUEST	
MT85	ON REQUEST	
MT120	246	57
MT150	247	58
MT170	248	58
MT210	249	58
MT250	ON REQUEST	
MT255	ON REQUEST	
MT270 / 275	250	58
MT360	251	58

NPK		
E-12X	270	61
E-15X	272	61
E-18X	274	62
E-24X	276	62
E106	253	59
E-200 / GH06	254	59
E-201 / GH07	255	59
E-202 / GH1	256	59
E-203 / GH2	257	59
E-204 / GH3	258	59
E-205 / GH4	259	59
E-206	260	60
E-207 / GH6	261	60
E-208A	262	60
GH7	263	60
GH9	264	60
GH10	265	60
GH12	266	60
GH15	267	61
GH18	268	61

MACHINE	FIGURE NO.	PAGE NO.
E-210A	269	61
E-212	270	61
E-213	271	61
E-215	272	61
E-216	273	61
E-218	274	62
E-220	275	62
E-224	276	62
E-225	277	62
E-235	278	62
E-240A	279	62
H-06X	280	62
H-08XA	281	63
H-1XA	282	63
H-2XA / H-2XE	283	63
H-3XA / H-3XE	284	63
H-4X	285	63
H-6XA	286	63
H-7XA	287	63
H-8XA	288	64
H-10XB / E / GH9	289	64
H-12X / E	290	64
H-16X / E	291	64
H-20X / E	292	64

O&K		
H32	304	67
H45	305	67
H65	306	67
H85	308	67
H120	310	68
H150	311	68
H200	321	70
H260	323	70
H310	324	70
H380	325	70
H530	327	71
H700	330	71

OCM		
OCM8	183	47
OCM25	185	47
OCM55	186	47
OCM100	187	47
OCM130	190	48

OKADA		
OKB / UB 301	ON REQUEST	
OKB / UB 301SL	ON REQUEST	
OKB / UB 302	ON REQUEST	
OKB / UB 302A	ON REQUEST	
OKB / UB 303A	ON REQUEST	
OKB / UB 304	ON REQUEST	
OKB / UB 304B	ON REQUEST	
OKB / UB 305	ON REQUEST	
OKB / UB 306	ON REQUEST	
OKB / UB 308	ON REQUEST	
OKB / UB 310	ON REQUEST	
OKB / UB 312A	ON REQUEST	
OKB / UB 312B	ON REQUEST	
OKB / UB 316	ON REQUEST	
OKB / UB 318	ON REQUEST	

MACHINE	FIGURE NO.	PAGE NO.
OKB / UB 324	ON REQUEST	
TOP200	ON REQUEST	
TOP205 / 210	ON REQUEST	
TOP300	ON REQUEST	
UB2	ON REQUEST	
UB4	ON REQUEST	
UB5	ON REQUEST	
UB8	ON REQUEST	
UB11	ON REQUEST	
UB14	ON REQUEST	
UB17 / OKB17A2	ON REQUEST	
HB360A	ON REQUEST	

OMAL		
OMAL 80	183	47
OMAL 86	ON REQUEST	
OMAL 80S	367	77
OMAL 180 / 190 / 190S	ON REQUEST	
OMAL 235 / 270 / 270S / 276	185	47
OMAL 500 / 550	186	47
OMAL 1000 / 1050	187	47
OMAL 1300	134	36
OMAL 1700	ON REQUEST	

OMD		
OMD 20	183	47
OMD 30	185	47
OMD 50	186	47
OMD 100	187	47
OMD 2000	190	48

PEL-JOB		
MH90	367	77
MH95	368	77
MH180	370	77

PRODEM		
PRB008	67	25
PRB010	68	25
PRB030	69	25
PRB040	70	25
PRB050	71	25
PRB060	72	26
PRB090	ON REQUEST	
PRB100	73	26
PRB130	74	26
PRB170	75	26
PRB200	76	26
PRB250	77	27
PRB300	78	27
PRB400	79	27
PRB500	80	27

PROMOVE		
P4	ON REQUEST	
P6 / SH	ON REQUEST	
P22	189	48
P23	133	36
PMV90 / P3SH	183	47
PMV290 / 390 / P12SH	185	47
PMV690 / P16SH	186	47
PMV1000 / P23SH	187	47
PMV1390 / P27SH	190	48

HAMMER TYPE & TOOL REFERENCE INDEX

MACHINE	FIGURE NO.	PAGE NO.
XP100	293	65
XP101	12	15
XP150	294	65
XP250	295	65
XP300 / XP400 / XP450	296	65
XP550 / XP551	297	65
XP800	298	65
XP1200	299	65
XP1500	300	66
XP2400	301	66
XP4500	302	66

RAMMER / SANDVIK

E63	320	69
E64	321	70
E65	322	70
E66 / S55	323	70
E68	324	70
G80	325	70
G88	326	70
G90	327	71
G99	328	71
G100	329	71
G110	330	71
G120	331	71
G130	332	71
S18 / PICCOLO	303	67
S21	304	67
S22	305	67
S23	306	67
S24	307	67
S25	308	67
S26	309	68
S27	310	68
S29	311	68
S52	312	68
S54	313	68
S55 / E66	314	68
S56	315	69
S82	316	69
S83	317	69
S84	318	69
S86	319	69
M14	333	72
M18	334	72
BR111	335	72
BR222	336	72
BR255	337	72
BR321	338	72
BR333	339	72
BR355	51	22
BR422	340	73
BR455	341	73
BR555	342	73
BR623	343	73
BR777	344	73
BR825	345	73
BR927	346	73
BR999	347	74
BR1129	348	74
BR1533	349	74

MACHINE	FIGURE NO.	PAGE NO.
BR2063	350	74
BR2064	351	74
BR2155	352	74
BR2214	353	74
BR2265	354	75
BR2266	355	75
BR2568	356	59
BR2577	357	59
BR2518	358	75
BR3088 / 3288	359	75
BR3890	360	76
BR4099	361	76
BR4510	362	76
BR4511	363	76
BR5011	364	76
BR7013	365	76

ROBI

MH7	335	72
MH11	336	72
MH15	339	72
BH30	306	67
BH50	308	67
BH80	311	68
EH170	357	75
EH240	359	75

ROTAIR

OL50	366	77
OL90 (WITH COLLAR)	367	77
OL90 / 95	368	77
OL130 / 160	369	77
OL180 / 260	370	77
OL250 / 330	371	77

SANDHURST

SMC XT70	12	15
SMC XT100	13	15
SMC XT200	14	15
SMC XT300	15	15
SMC XT400	16	15

SMC

SMC TF-14BA	ON REQUEST
SMC 1000	ON REQUEST
SMC 1400	ON REQUEST
SMC 1500	ON REQUEST
SMC 2000	ON REQUEST
SMC 3000	ON REQUEST
SMC XE4500	ON REQUEST
SMC XE3500	ON REQUEST

SOCOMEK

DMS 50	372	78
DMS 95 / 95-2 / MDO 55	373	78
DMS 150 / 160 / 165 MDO 80	374	78
DMS 210	375	78
DMS 220 / MDO 100	376	78
DMS 270	377	78
DMS 310 / 330 / MDO 250 / 260	378	79
MDO 300	379	79
DMS 410	380	79
DMS 430 / MDO 450	381	79

MACHINE	FIGURE NO.	PAGE NO.
MDO 500	382	79
MDO 550	384	79
DMS 680 / 740 / 850 / 910	383	79
MDO 750	385	80
MDO 900V	386	80
MDO 1450	387	80
MDO 1950	388	80
MDO 2050	389	80
MDO 3200 / MDO 3000	390	80
MDO 4000	391	80

SOOSAN

SB10	392	81
SB20	393	81
SB30	394	81
SB35	395	81
SB40 / SB4	396	81
SB43	397	81
SB45 / SB5	398	82
SB50	399	82
SB60	400	82
SB70 / SB71	401	82
SB80	ON REQUEST	
SB81	402	82
SB100	403	82
SB121 / 120A	404	83
SB130 / 140	405	83
SB151	406	83

STANLEY

MB 105	ON REQUEST
MB 125	ON REQUEST
MB 156	ON REQUEST
MB 250 / 256 / 350 / 356	ON REQUEST
MB 506	ON REQUEST
MB 550	ON REQUEST
MB 656 / 675 / 695	ON REQUEST
MB 800 / 856	ON REQUEST
MB 1550	ON REQUEST
MB 1950 / 1975	ON REQUEST
MB 2850	ON REQUEST
MB 2950 / 2975	ON REQUEST
MB 5950	ON REQUEST
MB20EX	ON REQUEST
MB30EX	ON REQUEST
MB40EX	ON REQUEST
MB50EX	ON REQUEST
MB70EX	ON REQUEST
MB80EX	ON REQUEST
MB100EX	ON REQUEST

STAR

SH40	183	47
SH91	143	39
SH151 / 161	144	39
SH200	145	39
SH280	185	47
SH281	146	39
SH560	186	47
SH561 / 562	148	39
SH990	187	47
SH991	149	40

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
11

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

HAMMER TYPE & TOOL REFERENCE INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
12

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MACHINE	FIGURE NO.	PAGE NO.
SH992	150	40
SH1200	189	48
SH1400	190	48
SH1401	151	40
SH1402	152	40
SH2000	ON REQUEST	

STELCO

SEL110	ON REQUEST	
SEL150	ON REQUEST	
SEL 220	ON REQUEST	
SEL 350	ON REQUEST	

TABE

AGB 100 / 175 / 200	ON REQUEST	
AGB 175	ON REQUEST	
AGB 270 / 275 / 350 / 370 / 375	ON REQUEST	
AGB 95	ON REQUEST	
AGB 400 / 475	ON REQUEST	
AGB 700 / 701 / 750	ON REQUEST	
AGB 1000 / 1300 / 1301	ON REQUEST	
AGB 1600 / 1620	ON REQUEST	
AGB 1800	ON REQUEST	
AGB 30	ON REQUEST	

TAKEUCHI

TKB-31	425	87
TKB-51	426	87
TKB-71	427	87
TKB-101	428	87
TKB-201	429	87
TKB-301	430	87
TKB-401	431	88
TKB-801	432	88
TKB-1101	433	88
TKB-1401	434	88
TKB-1600	435	88
TKB-2000	436	88
TKB-3000	437	89

TELEDYNE

TB120 / 125	409	84
TB180 / 225	410	84
TB275 / TB285	411	84
TB220 / 325	412	84
TB400 / 425 / 625	413	85
TB700 / 725 / 750 / 825	415	85
TB830	419	86
TB900 / 925 / 975 / 1000 / 1025	416	85
TB980	420	86
TB1300 / 1425	417	85
TB1680	422	86
TB1825 / 2075	418	85
TB2080	423	86
TB2580	424	86

TOKU (BTI)

TNB 08M	407	84
TNB 08E / 1M	408	84
TNB 1E / 2M	409	84
TNB 2E / 3M	410	84
TNB 3E / 4M	411	84
TNB 4E / 5M	412	84

MACHINE	FIGURE NO.	PAGE NO.
TNB 6E / 6.5E / 7M	413	85
TNB 7J	414	85
TNB 7E / 10E	415	85
TNB 14E / 16E	416	85
TNB 22E / 23E	417	85
TNB-31E / 30E	418	85
TNB 100	419	86
TNB 150 / 151	420	86
TNB 190	421	86
TNB 230	422	86
TNB 310	423	86
TNB 400	424	86

TOPA

TOPA 70	ON REQUEST	
TOPA 100	ON REQUEST	
TOPA 200	ON REQUEST	
TOPA 300	ON REQUEST	
TOPA 500	ON REQUEST	
TOPA 1000	ON REQUEST	
TOPA 1400	ON REQUEST	
TOPA 1500	ON REQUEST	
TOPA 2000	ON REQUEST	

TOYO

THBB 31	425	87
THBB 51	426	87
THBB 71	427	87
THBB 101	428	87
THBB 201	429	87
THBB 301	430	87
THBB 401	431	88
THBB 801	432	88
THBB 1101	433	88
THBB 1401	434	88
THBB 1600	435	88
THBB 2000	436	88
THBB 3000	437	89

VISTARINI (SEE DEMOTER)

VH60	ON REQUEST	
VH90	ON REQUEST	
VH120	ON REQUEST	
VH150	ON REQUEST	
VH160 / 200	ON REQUEST	
VH220 / 300 / 330	ON REQUEST	
VH382	ON REQUEST	
VH440	ON REQUEST	

VOLVO

HB80	303	67
HB130	304	67
HB200	305	67
HB300	306	67
HB440	308	67
HB600	310	68
HB800	311	68
HB1100	320	69
HB1400	322	70
HB1700	324	70
HB2400	325	70
HB3200	327	71


MACHINE	FIGURE NO.	PAGE NO.
HB3800	330	71

WIMMER

W-220	241	57
W-330	243	57
W-440	244	57
W-550	246	57
W-600	247	58
W-660	248	58
W-770	249	58
W-880	250	58
W-990	251	58

ARROWHEAD S10


FIGURE 1



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	AH17P0450	4.2
Chisel	40	450	AH17C0450	4.2

ARROWHEAD S20


FIGURE 2



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	AH10P0480	5.7
Chisel	45	480	AH10C0480	5.7

ARROWHEAD S30 (MK1 WITH COLLAR)


FIGURE 3



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	500	AH11P0500	6.0
Chisel	45	500	AH11C0500	6.0

ARROWHEAD S30 (MK3)


FIGURE 4



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	500	AH12P0500	8.3
Chisel	53	500	AH21C0500	8.3

ARROWHEAD S40


FIGURE 5



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	620	AH12P0620	15.4
Chisel	65	620	AH12C0620	15.4

ARROWHEAD S50


FIGURE 6



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	690	AH13P0690	19.9
Chisel	70	690	AH13C0690	19.9

ARROWHEAD S60

FIGURE 7



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	710	AH14P0710	23.5
Chisel	75	710	AH14C0710	23.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**


PAGE
13

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


ARROWHEAD

FIGURE 8 ARROWHEAD S100 / 10T



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	950	AH16P0950	50.5
Chisel	95	950	AH16C0950	50.5

FIGURE 9 ARROWHEAD S130


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	103	1000	AH23P1000	62.5
Chisel	103	1000	AH23C1000	62.5

FIGURE 10 ARROWHEAD S180


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	113	1000	AH19P1000	75.2
Chisel	113	1000	AH19C1000	75.2

FIGURE 11 ARROWHEAD S230


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	133	1200	AH18P1200	125.0
Chisel	133	1200	AH18C1200	125.0

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

ATLAS COPCO PB110

FIGURE 12

ALLIED AS342 | BERCO BB42 | CHICAGO PNEUMATIC (CP) CP100 / RX2 | PROMOVE XP101 | SANDHURST SMC XT70




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	470	KR41P0470	4.9
Chisel	42	470	KR41C0470	4.9

ATLAS COPCO PB160

FIGURE 13

ALLIED AS352 | BERCO BB52 | CHICAGO PNEUMATIC (CP) CP150 / RX3 | SANDHURST SMC XT100




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	52	600	KR42P0600	9.6
Chisel	52	600	KR42C0600	9.6

ATLAS COPCO PB210

FIGURE 14

ALLIED AS362 | BERCO BB62 | CHICAGO PNEUMATIC (CP) CP200 / RX4 | SANDHURST SMC XT200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	700	KR43P0700	15.8
Chisel	62	700	KR43C0700	15.8

ATLAS COPCO PB310

FIGURE 15

ALLIED AS370 | BERCO BB70 | CHICAGO PNEUMATIC (CP) CP300 / RX6 | SANDHURST SMC XT300




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	750	KR44P0750	21.6
Chisel	70	750	KR44C0750	21.6

ATLAS COPCO PB420

FIGURE 16

ALLIED AS380 | ATLAS COPCO 530 | BERCO BB80 | CHICAGO PNEUMATIC (CP) CP400 / CP550 / RX8 / RX11 | SANDHURST SMC XT400




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR34P0900	33.9
Chisel	80	900	KR34C0900	33.9

ATLAS COPCO SB50

FIGURE 17

ATLAS COPCO SBC 60 | ATLAS COPCO TEX 30 | BROKK 40 | KUBOTA KM10



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	32	430	AC21P0430	2.6
Chisel	32	430	AC21C0430	2.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
15

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 18**ATLAS COPCO SB52**


BROKK 50




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	420	AC26P0420	2.6
Chisel	40	420	AC26C0420	2.6

FIGURE 19**ATLAS COPCO SB100**

ATLAS COPCO SB100 / SBC 115 | ATLAS COPCO TEX 100H / 75H | KUBOTA KM100




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	550	AC10P0550	6.6
Chisel	45	550	AC10C0550	6.6

FIGURE 20**ATLAS COPCO SB102**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	550	AC25P0550	6.6
Chisel	45	550	AC25C0550	6.6

FIGURE 21**ATLAS COPCO SB150 / 152**


SBC 255 | ATLAS COPCO TEX 110H | BROKK 90 | JCB HM165 | KUBOTA KM150



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	550	AC17P0550	8.1
Chisel	50	550	AC17C0550	8.1

FIGURE 22**ATLAS COPCO SB200 / SB202**


SBC 410 | ATLAS COPCO TEX 180H | BROKK 160 / 180 | JCB HM265 | KUBOTA KM200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	600	AC18P0600	14.9
Chisel	65	600	AC18C0600	14.9

FIGURE 23**ATLAS COPCO SB300 / SB302**


SBC 610 / SBC650 | BROKK 250 / 260 | JCB HM385 / 386Q | KUBOTA KM300



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	800	AC22P0800	30.1
Chisel	80	800	AC22C0800	30.1
Blunt	80	800	AC22B0800	30.1

ATLAS COPCO SB300 SCALER


FIGURE 24



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Blunt	80	800	AC23B0800	32

ATLAS COPCO TEX 250H


FIGURE 25



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	800	AC12P0800	30.1
Chisel	80	800	AC12C0800	30.1

ATLAS COPCO TEX 250H SCALER

FIGURE 26




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Blunt	80	800	AC12B0800	32

ATLAS COPCO SB450 / SB452

FIGURE 27

ATLAS COPCO SBC 800 / 850 | ATLAS COPCO TEX 400H / HS | BROKK 330 | JCB HM495 | KUBOTA KM450




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	840	AC20P0840	44.6
Chisel	95	840	AC20C0840	44.6
Blunt	95	840	AC20B0840	44.6

ATLAS COPCO SB552

FIGURE 28

BROKK 400




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	AC28P1000	58.9
Chisel	100	1000	AC28C1000	58.9
Blunt	100	900	AC28B0900	53.0

ATLAS COPCO SB702 / HBC1100 / 1700

FIGURE 29

ATLAS COPCO TEX 600H / 700H / 900H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	900	AC14P0900	58.4
Chisel	105	900	AC14C0900	58.4
Blunt	105	900	AC14B0900	58.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




PAGE
17

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 30 ATLAS COPCO HBC2500


ATLAS COPCO TEX 1400H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1000	AC15P1000	92.0
Chisel	125	1000	AC15C1000	92.0
Blunt	125	1000	AC15B1000	92.0

FIGURE 31 ATLAS COPCO HBC4000


ATLAS COPCO TEX 1800H / 2000H | CHICAGO PNEUMATIC (CP) CP2350



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	AC16P1100	118.0
Chisel	135	1100	AC16C1100	118.0

FIGURE 32 ATLAS COPCO HBC6000


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	AC29P1500	255.2
Chisel	170	1500	AC29C1500	255.2
Blunt	170	1500	AC29B1500	255.2

FIGURE 33 ATLAS COPCO MB500


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	900	KR32P0900	42.9
Chisel	90	900	KR32C0900	42.9

FIGURE 34 ATLAS COPCO MB700 / MB800

JCB HM860



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR38P1000	58.9
Chisel	100	1000	KR38C1000	58.9
Blunt	100	1000	KR38B1000	58.9


FIGURE 35 ATLAS COPCO MB750

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	AC33P1000	58.9
Chisel	100	1000	AC33C1000	58.9
Blunt	100	1000	AC33B1000	58.9

ATLAS COPCO MB1000

FIGURE 36


BROKK 800 | JCB HM3060



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1050	AC24P1050	74.8
Chisel	110	1050	AC24C1050	74.8
Blunt	110	1050	AC24B1050	74.8

ATLAS COPCO MB1200


FIGURE 37



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	KR39P1150	97.5
Chisel	120	1150	KR39C1150	97.5
Blunt	120	1150	KR39B1150	97.5

ATLAS COPCO MB1500

FIGURE 38




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1175	AC32P1175	126.1
Chisel	135	1175	AC32C1175	126.1
Blunt	135	1175	AC32B1175	126.1

ATLAS COPCO MB1600

FIGURE 39

JCB HM1560




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1150	KR25P1150	123.4
Chisel	135	1150	KR25C1150	123.4
Blunt	135	1150	KR25B1150	123.4

ATLAS COPCO MB1700

FIGURE 40


JCB HM1760



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	KR37P1200	138.5
Chisel	140	1200	KR37C1200	138.5
Blunt	140	1200	KR37B1200	138.5

ATLAS COPCO HB2000

FIGURE 41



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	145	1250	AC38P1250	154.7
Chisel	145	1250	AC38C1250	154.7
Blunt	145	1100	AC38B1100	136.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
19

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 42 ATLAS COPCO HB2200


JCB HM2460



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	KR28P1300	172.2
Chisel	150	1300	KR28C1300	172.2
Blunt	150	1150	KR28B1150	152.3

FIGURE 43 ATLAS COPCO HB2500


CHICAGO PNEUMATIC (CP) RX38




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1150	AC30P1150	162.7
Point	155	1300	AC30P1300	183.9
Chisel	155	1150	AC30C1150	162.7
Chisel	155	1300	AC30C1300	183.9
Blunt	155	1150	AC30B1150	162.7

FIGURE 44 ATLAS COPCO HB3000 / HB3100

CHICAGO PNEUMATIC (CP) CP3050 / RX45 / RX46 | ALLIED HY-RAM 797 | (SEE ALSO KRUPP) HM2100 / 2300 / HB3000 | JCB HM3060




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1300	KR40P1300	208.4
Point	165	1500	KR40P1500	240.4
Chisel	165	1300	KR40C1300	208.4
Chisel	165	1500	KR40C1500	240.4
Blunt	165	1300	KR40B1300	208.4

FIGURE 45 ATLAS COPCO HB3600

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1300	AC34P1300	221.2
Point	170	1500	AC34P1500	255.2
Chisel	170	1300	AC34C1300	221.2
Chisel	170	1500	AC34C1500	255.2
Blunt	170	1300	AC34B1300	221.2

FIGURE 46 ATLAS COPCO HB4200

CHICAGO PNEUMATIC (CP) CP4250 / RX53 / RX54 | JCB HM4160




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	KR30P1500	286.1
Chisel	180	1500	KR30C1500	286.1
Blunt	180	1350	KR30B1350	257.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000**THOMAS
TURTON**

ATLAS COPCO HB4700


FIGURE 47



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	189	1400	AC35P1400	294.4
Point	189	1600	AC35P1600	336.5
Chisel	189	1400	AC35C1400	294.4
Chisel	189	1600	AC35C1600	336.5
Blunt	189	1400	AC35B1400	294.4

ATLAS COPCO HB5800


FIGURE 48



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	200	1500	KR46P1500	353.3
Point	200	1700	KR46P1700	400.4
Chisel	200	1500	KR46C1500	353.3
Chisel	200	1700	KR46C1700	400.4
Blunt	200	1500	KR46B1500	353.3

ATLAS COPCO HB7000


FIGURE 49



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1800	KR33P1800	467.3
Chisel	210	1800	KR33C1800	467.3
Blunt	210	1600	KR33B1600	415.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




FIGURE 50 CATERPILLAR H35DS


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	380	CT10P0380	3.6
Chisel	40	380	CT10C0380	3.6

FIGURE 51 CATERPILLAR H45DS


RAMMER / SANDVIK BR355




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	500	CT20P0500	6.8
Chisel	48	500	CT20C0500	6.8

FIGURE 52 CATERPILLAR H55DS


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	560	CT30P0560	10.3
Chisel	56	560	CT30C0560	10.3

FIGURE 53 CATERPILLAR H65DS


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	585	CT31P0585	14.6
Chisel	65	585	CT31C0585	14.6

FIGURE 54 CATERPILLAR H35ES

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	400	CT21P0400	3.8
Chisel	40	400	CT21C0400	3.8

FIGURE 55 CATERPILLAR H45ES

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	475	CT22P0475	7.0
Chisel	50	475	CT22C0475	7.0

FIGURE 56 CATERPILLAR H55ES

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	550	CT23P0550	10.9
Chisel	58	550	CT23C0550	10.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
22

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CATERPILLAR H65ES


FIGURE 57



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	650	CT24P0650	17.7
Chisel	68	650	CT24C0650	17.7

CATERPILLAR H75ES

FIGURE 58



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	700	CT36P0700	22.9
Chisel	75	700	CT36C0700	22.9

CATERPILLAR H95ES

FIGURE 59



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	88	800	CT40P0800	36.1
Chisel	88	800	CT40C0800	36.1

CATERPILLAR H110ES

FIGURE 60



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	890	CT32P890	51.9
Chisel	100	890	CT32C890	51.9
Blunt	100	890	CT32B890	51.9

CATERPILLAR H115ES

FIGURE 61



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	980	CT33P0980	69.2
Chisel	110	980	CT33C0980	69.2
Blunt	110	980	CT33B0980	69.2

CATERPILLAR H120ES

FIGURE 62



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1075	CT34P1075	90.4
Chisel	120	1075	CT34C1075	90.4
Blunt	120	1075	CT34B1075	90.4

CATERPILLAR H130ES

FIGURE 63



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1150	CT35P1150	114.4
Chisel	130	1150	CT35C1150	114.4
Blunt	130	1150	CT35B1150	114.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
23

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 64**CATERPILLAR H140ES**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	CT38P1200	138.5
Chisel	140	1200	CT38C1200	138.5
Blunt	140	1200	CT38B1200	138.5

FIGURE 65**CATERPILLAR H160ES**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	CT37P1400	211.0
Chisel	160	1400	CT37C1400	211.0
Blunt	160	1400	CT37B1400	211.0

FIGURE 66**CATERPILLAR H180ES**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	CT39P1500	286.1
Chisel	180	1500	CT39C1500	286.1
Blunt	180	1500	CT39B1500	286.1


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



EVERDIGM EHB008

FIGURE 67

PRODEM PRB008




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	430	ED10P0430	4.5
Chisel	42	430	ED10C0430	4.5

EVERDIGM EHB01 / EHB02

FIGURE 68

PRODEM PRB010




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	ED11P0450	5.7
Chisel	45	480	ED11C0450	5.7

EVERDIGM EHB03

FIGURE 69

PRODEM PRB030




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	ED12P0500	7.4
Chisel	50	500	ED12C0500	7.4

EVERDIGM EHB04

FIGURE 70

PRODEM PRB040




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	600	ED13P0600	11.9
Chisel	58	600	ED13C0600	11.9

EVERDIGM EHB05

FIGURE 71

PRODEM PRB050



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	750	ED16P0750	20.4
Chisel	68	750	ED16C0750	20.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




Demolition Tools Catalogue

EVERDIGM

FIGURE 72 EVERDIGM EHB06

PRODEM PRB060



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	850	ED24P0850	32.0
Chisel	80	850	ED24C0850	32.0

FIGURE 73 EVERDIGM EHB10


PRODEM PRB100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	93	900	ED16P0900	45.8
Chisel	93	900	ED16C0900	45.8

FIGURE 74 EVERDIGM EHB13


PRODEM PRB130



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	ED14P1050	68.2
Chisel	105	1050	ED14C1050	68.2
Blunt	105	1050	ED14B1050	68.2

FIGURE 75 EVERDIGM EHB17


PRODEM PRB170



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1100	ED15P1100	88.7
Chisel	116	1100	ED15C1100	88.7
Blunt	116	1100	ED15B1100	88.7

FIGURE 76 EVERDIGM EHB20

PRODEM PRB200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	124	1150	ED18P1150	104.1
Chisel	124	1150	ED18C1150	104.1
Blunt	124	1150	ED18B1150	104.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
26

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

EVERDIGM EHB25

FIGURE 77

PRODEM PRB250




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1200	ED20P1200	126.9
Chisel	134	1200	ED20C1200	126.9
Blunt	134	1200	ED20B1200	126.9

EVERDIGM EHB30

FIGURE 78

PRODEM PRB300




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	149	1300	ED21P1300	169.9
Chisel	149	1300	ED21C1300	169.9
Blunt	149	1300	ED21B1300	169.9

EVERDIGM EHB40

FIGURE 79

PRODEM PRB400 | SMC 3500




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	164	1450	ED22P1450	229.6
Chisel	164	1450	ED22C1450	229.6
Blunt	164	1450	ED22B1450	229.6

EVERDIGM EHB50

FIGURE 80

PRODEM PRB500




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	179	1600	ED23P1600	305.2
Chisel	179	1600	ED23C1600	305.2
Blunt	179	1600	ED23B1600	305.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



FIGURE 81 FURUKAWA F1 / HB1G / FX15


KENT KF1



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

FIGURE 82 FURUKAWA F2 / HB2G / FX25


DAINONG (DNB) DNB K20 | KENT KF2



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	FU22P0450	5.4
Chisel	45	450	FU22C0450	5.4

FIGURE 83 FURUKAWA F3 / FX35


KENT KF3



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	52	525	FU32P0525	8.4
Chisel	52	525	FU32C0525	8.4

FIGURE 84 FURUKAWA F4 / FX45


KENT KF4



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	560	FU33P0560	11.9
Chisel	60	560	FU33C0560	11.9

FIGURE 85 FURUKAWA F5 / FX55


DEMOTER (VISTIRINI) DM240RE | KENT KF5



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	600	FU34P0610	16.3
Chisel	68	600	FU34C0600	16.3

FIGURE 86 FURUKAWA F6

KENT KF6




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	730	FU35P0730	24.2
Chisel	75	730	FU35C0730	24.2

FURUKAWA F9

FIGURE 87

KENT KF9




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	FU37P0850	40.5
Chisel	90	850	FU37C0850	40.5

FURUKAWA F12

FIGURE 88

KENT KF12




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1100	FU38P1100	71.4
Chisel	105	1100	FU38C1100	71.4
Blunt	105	1100	FU38B1100	71.4

FURUKAWA F19

FIGURE 89

KENT KF19




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1200	FU39P1200	101.7
Chisel	120	1200	FU39C1200	101.7
Blunt	120	1200	FU39B1200	101.7

FURUKAWA F22

FIGURE 90

FURUKAWA F20 | KENT KF22




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1250	FU40P1250	134.1
Chisel	135	1250	FU40C1250	134.1
Blunt	135	1250	FU40B1250	134.1

FURUKAWA F27

FIGURE 91

KENT KF27




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	FU41P1300	150.0
Chisel	140	1300	FU41C1300	150.0
Blunt	140	1300	FU41B1300	150.0

FURUKAWA F35

FIGURE 92

FURUKAWA F30 | KENT KF35



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1400	FU42P1400	185.5
Chisel	150	1400	FU42C1400	185.5
Blunt	150	1400	FU42B1400	185.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
29

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 93**FURUKAWA F45**


KENT KF45



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1500	FU43P1500	240.4
Chisel	165	1500	FU43C1500	240.4
Blunt	165	1500	FU43B1500	240.4

FIGURE 94**FURUKAWA F70**


FURUKAWA HB100G | KENT KF70



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1600	FU44P1600	305.2
Chisel	180	1600	FU44C1600	305.2
Blunt	180	1600	FU44B1600	305.2

FIGURE 95**FURUKAWA F100**


KENT KF100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1900	FU46P1900	493.3
Chisel	210	1900	FU46C1900	493.3
Blunt	210	1700	FU46B1700	493.3

FIGURE 96**FURUKAWA HB1G / F1 / FX15**


KENT KHB1G



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

FIGURE 97**FURUKAWA HB2G / F2 / FX25**


KENT KHB2G



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	FU22P0450	5.4
Chisel	45	450	FU22C0450	5.4

FIGURE 98**FURUKAWA HB3G**

DAINONG (DNB) DNB K25 | DEMOTER (VISTIRINI) DM160RE | KENT KHB3G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	560	FU23P0560	11.9
Chisel	60	560	FU23C0560	11.9

FURUKAWA HB5G

FIGURE 99

DAINONG (DNB) DNB K30 | KENT KHB5G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	640	FU24P0640	21.2
Chisel	75	640	FU24C0640	21.2

FURUKAWA HB8G

FIGURE 100

KENT KHB8G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	750	FU25P0750	35.8
Chisel	90	750	FU25C0750	35.8

FURUKAWA HB10G

FIGURE 101

DAINONG (DNB) DNB K50 | KENT KHB10G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1000	FU26P1000	64.9
Chisel	105	1000	FU26C1000	64.9

FURUKAWA HB15G

FIGURE 102

DEHACO DHB1500S / DHB120 | KENT KHB15G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	FU27P1100	93.3
Chisel	120	1100	FU27C1100	93.3

FURUKAWA HB20G

FIGURE 103

DAINONG (DNB) DNB K80 / 100 | DEHACO DHB2000S | KENT KHB20G




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1200	FU28P1200	128.8
Chisel	135	1200	FU28C1200	128.8

FURUKAWA HB30G

FIGURE 104

DAINONG (DNB) DNB K120 | DEHACO DHB3600S | KENT KHB30G



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	FU29P1300	172.2
Chisel	150	1300	FU29C1300	172.2


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
31


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 105**FURUKAWA HB40G****KENT KHB40G**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	FU30P1400	211.0
Chisel	160	1400	FU30C1400	211.0

FIGURE 106**FURUKAWA FXJ 125**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1070	FU51P1070	76.2
Chisel	110	1070	FU51C1070	76.2
Blunt	110	1070	FU51B1070	76.2

FIGURE 107**FURUKAWA FXJ 175**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	FU52P1100	93.3
Chisel	120	1100	FU52C1100	93.3
Blunt	120	1100	FU52B1100	93.3

FIGURE 108**FURUKAWA FXJ 275**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	FU53P1300	150.0
Chisel	140	1300	FU53C1300	150.0
Blunt	140	1300	FU53B1300	150.0

FIGURE 109**FURUKAWA FXJ 375**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1400	FU54P1400	198.0
Chisel	155	1400	FU54C1400	198.0
Blunt	155	1400	FU54B1400	198.0

FIGURE 110**FURUKAWA FXJ 475**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	FU55P1500	255.2
Chisel	170	1500	FU55C1500	255.2
Blunt	170	1500	FU55B1500	255.2

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
32

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

HANWOO RHB 301-V

FIGURE 111

HANWOO 302-V | RHINO / MAGNUM RHB 301-V




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	HW11P0480	5.7
Chisel	45	480	HW11C0480	5.7

HANWOO RHB 302 / 303-V

FIGURE 112

HANWOO / RHINO / MAGNUM RHB 302 / 303-V




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	490	HW12P0490	7.2
Chisel	50	490	HW12C0490	7.2

HANWOO RHB 303

FIGURE 113

HANWOO / RHINO / MAGNUM RHB 303 / 303-VP




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	500	HW13P0500	8.9
Chisel	55	500	HW13C0500	8.9

HANWOO RHB 305-V

FIGURE 114

HANWOO / RHINO / MAGNUM RHB 305 / 305-V




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	760	HW14P0760	20.7
Chisel	68	760	HW14C0760	20.7

HANWOO RHB 306

FIGURE 115

HANWOO / RHINO / MAGNUM RHB 306




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	850	HW21P0850	32.0
Chisel	80	850	HW21C0850	32.0

HANWOO RHB 308

FIGURE 116

HANWOO / RHINO / MAGNUM RHB 308



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	HW15P0900	38.3
Chisel	85	900	HW15C0900	38.3

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




PAGE
33

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 117**HANWOO RHB 309**


HANWOO / RHINO / MAGNUM RHB 308-2 / 309



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	HW25P0900	38.3
Chisel	85	900	HW25C0900	38.3

FIGURE 118**HANWOO RHB 313-V**


HANWOO / RHINO / MAGNUM RHB 313-V / 314



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	HW16P1050	68.2
Chisel	105	1050	HW16C1050	68.2

FIGURE 119**HANWOO RHB 320**


HANWOO / RHINO / MAGNUM RHB 320



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1150	HW28P1150	105.8
Chisel	125	1150	HW28C1150	105.8
Blunt	125	1050	HW28B1050	96.6

FIGURE 120**HANWOO RHB 322-2 / 325**


HANWOO / RHINO / MAGNUM RHB 322-2 / 323 / 325



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1200	HW17P1200	128.8
Chisel	134	1200	HW17C1200	128.8
Blunt	134	1050	HW17B1050	112.7

FIGURE 121**HANWOO RHB 328-2 / 330**


HANWOO / RHINO / MAGNUM RHB 328-2 / 330



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	149	1450	HW18P1450	192.1
Chisel	149	1450	HW18C1450	192.1
Blunt	149	1300	HW18B1300	172.2

FIGURE 122**HANWOO RHB 340**


HANWOO / RHINO / MAGNUM RHB 340



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	164	1450	HW23P1450	232.4
Chisel	164	1450	HW23C1450	232.4
Blunt	164	1300	HW23B1300	208.4

INDECO HP150**FIGURE 123**


EURORAM / GLOBORAM / ROCKMASTER RM45 | INDECO MES / UP 121 / 150P



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	440	IN23P0440	5.2
Chisel	45	440	IN23C0440	5.2

INDECO HP200**FIGURE 124**


EURORAM / GLOBORAM / ROCKMASTER RM48 | INDECO MES / UP 180 / 181 / 200P



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	550	IN17P0550	7.2
Chisel	48	550	IN17C0550	7.2

INDECO HP350**FIGURE 125**


EURORAM / GLOBORAM / ROCKMASTER RM56 | INDECO MES / UP 300 / 301 / 350P / 351P / HP300



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	600	IN18P0600	10.7
Chisel	56	600	IN18C0600	10.7

INDECO HP500**FIGURE 126**


EURORAM / GLOBORAM / ROCKMASTER RM65 | INDECO HB5 | INDECO MES / UP 451 / 452 / 462P / 521 / 550



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	650	IN11P0650	15.7
Chisel	65	650	IN11C0650	15.7

INDECO HP600**FIGURE 127**


EURORAM / GLOBORAM / ROCKMASTER RM75 | INDECO MES / UP 553P



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	73	680	IN29P0680	21.3
Chisel	73	680	IN29C0680	21.3

INDECO HB8**FIGURE 128**

EURORAM / GLOBORAM / ROCKMASTER RM80



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	700	IN12P0700	25.7
Chisel	80	700	IN12C0700	25.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
35

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 129 INDECO HP700

INDECO MES / UP 601 / 621 / 650P



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	IN19P0650	23.9
Chisel	80	650	IN19C0650	23.9

FIGURE 130 INDECO HP900


EURORAM / GLOBORAM / ROCKMASTER RM88 | INDECO UP 900



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	89	700	IN31P0700	32.6
Chisel	89	700	IN31C0700	32.6

FIGURE 131 INDECO HP1200


EURORAM / GLOBORAM / ROCKMASTER RM85 / 90 | INDECO HB12 | INDECO MES / UP 1200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	800	IN13P0800	38.2
Chisel	90	800	IN13C0800	38.2

FIGURE 132 INDECO HP1500


EURORAM / GLOBORAM / ROCKMASTER RM110 | INDECO HB19 | INDECO MES / UP 1500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	109	900	IN15P0900	63.0
Chisel	109	900	IN15C0900	63.0
Blunt	109	800	IN15B0800	56.0

FIGURE 133 INDECO HP1800


EURORAM / GLOBORAM / ROCKMASTER RM115 | INDECO MES / UP 1750 / 1800 | OMAL 1300



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1000	MB15P1000	76.5
Chisel	114	1000	MB15C1000	76.5
Blunt	114	900	MB15B0900	68.9

FIGURE 134 INDECO HP2000

EURORAM / GLOBORAM / ROCKMASTER RM120 | INDECO HB27 | INDECO MES / UP 2000




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	119	1000	IN16P1000	83.4
Chisel	119	1000	IN16C1000	83.4
Blunt	119	900	IN16B0900	75.0

INDECO HP2500

FIGURE 135


INDECO UP2500 / MES 2500 / EURORAM RM130



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1050	IN20P1050	104.5
Chisel	130	1050	IN20C1050	104.5
Blunt	130	950	IN20B0950	94.5

INDECO HP2750

FIGURE 136




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	134	1100	IN33P1100	116.3
Chisel	134	1100	IN33C1100	116.3
Blunt	134	1000	IN33B1000	105.7

INDECO HP3000

FIGURE 137

EURORAM / GLOBORAM / ROCKMASTER RM140 | INDECO MES / UP 3000




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1100	IN24P1100	126.9
Chisel	140	1100	IN24C1100	126.9
Blunt	140	1000	IN24B1000	115.4

INDECO HP3500

FIGURE 138

EURORAM / GLOBORAM / ROCKMASTER RM145 | INDECO MES / UP 3500




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	144	1170	IN21P1170	142.8
Chisel	144	1170	IN21C1170	142.8
Blunt	144	1070	IN21B1070	130.6

INDECO HP4000

FIGURE 139

EURORAM / GLOBORAM / ROCKMASTER RM150 | INDECO MES / UP 4000 / 4001




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	IN28P1250	165.6
Chisel	150	1250	IN28C1250	165.6
Blunt	150	1150	IN28B1150	152.3

INDECO HP5000

FIGURE 140

EURORAM / GLOBORAM / ROCKMASTER RM160 | INDECO MES / UP 5000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1320	IN22P1320	196.5
Chisel	159	1320	IN22C1320	196.5
Blunt	159	1170	IN22B1170	174.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
37

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

INDECO

FIGURE 141 **INDECO HP7000**

EURORAM / GLOBORAM / ROCKMASTER RM180 INDECO MES / UP 7000				
TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1450	IN25P1450	276.6
Chisel	180	1450	IN25C1450	276.6
Blunt	180	1300	IN25P1300	248.0





FIGURE 142 **INDECO HP9000**

EURORAM / GLOBORAM / ROCKMASTER RM195 INDECO MES / UP 8500				
TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	195	1530	IN26P1530	342.5
Chisel	195	1530	IN26C1530	342.5
Blunt	195	1380	IN26B1380	308.9




FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



ITALDEM GK 85 / 86**FIGURE 143**


STAR SH91



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	450	IT24P0450	5.6
Chisel	46	450	IT24C0450	5.6

ITALDEM GK 160 / 161**FIGURE 144**


STAR SH151 / 161



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	500	IT25P0500	9.2
Chisel	56	500	IT25C0500	9.2

ITALDEM GK 211**FIGURE 145**


STAR SH200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	620	IT27P0620	16.4
Chisel	68	620	IT27C0620	16.4

ITALDEM GK 290 / 291**FIGURE 146**

STAR SH281




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	660	IT28P0660	24.9
Chisel	80	660	IT28C0660	24.9

ITALDEM GK 360 / 361**FIGURE 147**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	700	IT29P0700	29.8
Chisel	85	700	IT29C0700	29.8

ITALDEM GK 600 / 610**FIGURE 148**

ITALDEM GK 620 | STAR SH561 / 562



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	900	IT30P0900	58.4
Chisel	105	900	IT30C0900	58.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
39

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 149 ITALDEM GK 950 / 960


STAR SH991



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1050	IT31P1050	81.8
Chisel	114	1050	IT31C1050	81.8
Blunt	114	950	IT31B0950	74.0

FIGURE 150 ITALDEM GK 1050


STAR SH992



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1050	IT39P1050	80.3
Chisel	114	1050	IT39C1050	80.3
Blunt	114	950	IT39B0950	72.7

FIGURE 151 ITALDEM GK 1350


ITALDEM GK 1351 | STAR SH1401



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	119	1100	IT32P1100	93.3
Chisel	119	1100	IT32C1100	93.3
Blunt	119	1000	IT32B1000	84.8


FIGURE 152 ITALDEM GK 1351S

STAR SH1402




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	IT36P1150	97.5
Chisel	120	1150	IT36C1150	97.5
Blunt	120	1050	IT36B1050	89.0

FIGURE 153 ITALDEM GK 1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1200	IT33P1200	119.4
Chisel	130	1200	IT33C1200	119.4
Blunt	130	1100	IT33B1100	109.4


FIGURE 154 ITALDEM GK 1800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1250	IT38P1250	154.7
Chisel	140	1250	IT38C1250	154.7
Blunt	140	1150	IT38B1150	142.4

ITALDEM GK 2400


FIGURE 155



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	148	1350	IT34P1350	174.1
Chisel	148	1350	IT34C1350	174.1
Blunt	148	1200	IT34B1200	154.8

ITALDEM GK 3400 / 3500


FIGURE 156



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1450	IT35P1450	246.7
Chisel	170	1450	IT35C1450	246.7
Blunt	170	1300	IT35B1300	221.2

ITALDEM GK 3800


FIGURE 157



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	185	1350	IT37P1350	272.0
Chisel	185	1350	IT37C1350	272.0
Blunt	185	1250	IT37B1250	261.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




FIGURE 158 KRUPP HM45


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	470	KR10P0470	4.9
Chisel	42	470	KR10C0470	4.9

FIGURE 159 KRUPP HM50 / 55

ALLIED HY-RAM 700 | (SEE ALSO ATLAS COPCO)




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	580	KR11P0580	6.9
Chisel	45	580	KR11C0580	6.9

FIGURE 160 KRUPP HM60V

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	500	KR35P0500	6.8
Chisel	48	500	KR35C0500	6.8

FIGURE 161 KRUPP HM60 / 75


ALLIED HY-RAM 710 / 711



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	600	KR12P0600	10.7
Chisel	55	600	KR12C0600	10.7

FIGURE 162 KRUPP HM85 / 90 / 90V


ALLIED HY-RAM 711B



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	600	KR31P0600	13.6
Chisel	62	600	KR31C0600	13.6

FIGURE 163 KRUPP HM130 / 140V


ALLIED HY-RAM 715



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	780	KR14P0780	19.4
Chisel	65	780	KR14C0780	19.4

KRUPP HM185/190V**FIGURE 164**


ALLIED HY-RAM 725




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	800	KR15P0800	26.5
Chisel	75	800	KR15C0800	26.5

KRUPP HM200**FIGURE 165**

ALLIED HY-RAM 77




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	835	KR16P0835	31.5
Chisel	80	835	KR16C0835	31.5

KRUPP HM220 / 230**FIGURE 166**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR34P0900	33.9
Chisel	80	900	KR34C0900	33.9

KRUPP HM300 / 301 / 305**FIGURE 167**


ALLIED HY-RAM 730 | DEMOTER (VISTIRINI) S430



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	KR17P0900	33.9
Chisel	80	900	KR17C0900	33.9

KRUPP HM350 / 350V**FIGURE 168**


ALLIED HY-RAM 735 | ATLAS COPCO MB500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	900	KR32P0900	42.9
Chisel	90	900	KR32C0900	42.9

KRUPP HM550 / 560V**FIGURE 169**

ALLIED HY-RAM 740



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR19P1000	58.9
Chisel	100	1000	KR19C1000	58.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
43

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 170 KRUPP HM580


ALLIED HY-RAM 745 | CHICAGO PNEUMATIC (CP) CP750 / RX14 | ATLAS COPCO MB700/800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR38P1000	58.9
Chisel	100	1000	KR38C1000	58.9

FIGURE 171 KRUPP HM600 / 601


ALLIED HY-RAM 88



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	KR20P1000	58.9
Chisel	100	1000	KR20C1000	58.9

FIGURE 172 KRUPP HM700 / 701 / 702 / 705


ALLIED HY-RAM 750



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1150	KR21P1150	89.5
Chisel	115	1150	KR21C1150	89.5
Blunt	115	1050	KR21B1050	81.8

FIGURE 173 KRUPP HM710 / 720


ALLIED HY-RAM 750B | CHICAGO PNEUMATIC (CP) CP1150 | JCB HM1260 / HM1270Q



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1080	KR22P1080	84.1
Chisel	115	1080	KR22C1080	84.1
Blunt	115	1000	KR22B1000	77.9

FIGURE 174 KRUPP HM780


ALLIED HY-RAM 755 | ATLAS COPCO MB1200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1150	KR39P1150	97.5
Chisel	120	1150	KR39C1150	97.5
Blunt	120	1050	KR39B1050	89.0
Blunt	120	1150	KR39B1150	97.5

FIGURE 175 KRUPP HM950 / 960


ALLIED HY-RAM 770B | CHICAGO PNEUMATIC (CP) CP1550 / CP1650 / RX22 | ATLAS COPCO MB1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1080	KR25P1080	114.2
Point	135	1350	KR25P1350	142.7
Chisel	135	1080	KR25C1080	114.2
Chisel	135	1350	KR25C1350	142.7
Blunt	135	1080	KR25B1080	114.2

KRUPP HM1000**FIGURE 176**


ALLIED HY-RAM 775CS | ATLAS COPCO MB1700



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	KR37P1200	138.5
Chisel	140	1200	KR37C1200	138.5
Blunt	140	1100	KR37B1100	126.9

KRUPP HM1500MV**FIGURE 177**


ALLIED HY-RAM 785 | CHICAGO PNEUMATIC (CP) CP2250 / RX29 / RX30 | ATLAS COPCO HB2200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	KR28P1300	172.2
Chisel	150	1300	KR28C1300	172.2
Blunt	150	1150	KR28B1150	152.3

KRUPP HM2000MV**FIGURE 178**


ALLIED HY-RAM 795CS | (SEE ALSO ATLAS COPCO)



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	KR29P1400	211.0
Chisel	160	1400	KR29C1400	211.0
Blunt	160	1250	KR29B1250	188.4

KRUPP HM2100 / 2300**FIGURE 179**


ALLIED HY-RAM 797 | ATLAS COPCO HB3000 | CHICAGO PNEUMATIC CP3050



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1500	KR40P1500	240.4
Point	165	1300	KR40P1300	208.4
Chisel	165	1500	KR40C1500	240.4
Chisel	165	1300	KR40C1300	208.4
Blunt	165	1300	KR40B1300	208.4

KRUPP HM2500 / 2600MV**FIGURE 180**


ALLIED HY-RAM 800 / 805 | ATLAS COPCO HB4200 | CHICAGO PNEUMATIC CP4250 | KRUPP HM2500MV / 2600 / HB4200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1500	KR30P1500	286.1
Chisel	180	1500	KR30C1500	286.1
Blunt	180	1350	KR30B1350	257.5

KRUPP HM3000**FIGURE 181**

ATLAS COPCO HB5800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	200	1700	KR46P1700	400.4
Chisel	200	1700	KR46C1700	400.4
Blunt	200	1500	KR46B1500	353.3

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000**THOMAS
TURTON****PAGE
45**© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



Demolition Tools Catalogue
KRUPP

FIGURE 182 **KRUPP HM4000**

ALLIED HY-RAM 905 ATLAS COPCO HB7000				
TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	210	1800	KR33P1800	467.3
Chisel	210	1800	KR33C1800	467.3
Blunt	210	1600	KR33B1600	415.4



MONTABERT BRH40

IDROMECCANICA IMI 85 | ITALDEM K 80 | OCM 8 | OMAL 80 | OMD 20 |
PROMOVE PMV90 / P3SH | STAR SH40




FIGURE 183

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	500	MB11P0500	6.0
Point	46	700	MB11P0700	8.3
Chisel	46	500	MB11C0500	6.0
Chisel	46	700	MB11C0700	8.3

MONTABERT BRH75 / 76 / 90 / 91




FIGURE 184

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	550	MB12P0550	11.7
Chisel	60	550	MB12C0550	11.7

MONTABERT BRH125

IDROMECCANICA IMI 260 | ITALDEM K 270 | OCM25 | OMAL 235 / 270 / 270S / 276 | OMD 30 |
PROMOVE PMV290 / 390 / P12SH | STAR SH280




FIGURE 185

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	MB13P0650	24.5
Point	80	760	MB13P0760	28.6
Point	80	950	MB13P0950	35.8
Chisel	80	650	MB13C0650	24.5
Chisel	80	760	MB13C0760	28.6
Chisel	80	950	MB13C0950	35.8

MONTABERT BRH250 / 270

IDROMECCANICA IMI 600 / 605 | ITALDEM K 550 | JCB HM480 | OCM55 | OMAL 500 / 550 |
OMD 50 | PROMOVE PMV690 / P16SH | STAR SH560




FIGURE 186

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB14P0850	45.2
Point	95	1000	MB14P1000	53.1
Chisel	95	850	MB14C0850	45.2
Chisel	95	1000	MB14C1000	53.1

MONTABERT BRH501 / 570

IDROMECCANICA IMI 1000 / 1010 | INDECO HP1800 | ITALDEM K 1000 | OCM100 |
OMAL 1000 / 1050 | OMD 100 | PROMOVE PMV1000 / P23SH | STAR SH990




FIGURE 187

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	114	1000	MB15P1000	76.5
Point	114	1300	MB15P1300	99.5
Chisel	114	1000	MB15C1000	76.5
Chisel	114	1300	MB15C1300	99.5
Blunt	114	1000	MB15B1000	76.5

MONTABERT BRH620




FIGURE 188

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	MB16P1000	76.5
Chisel	115	1000	MB16C1000	76.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
47

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 189 MONTABERT BRH625 / 900


MONTABERT M900 | JCB HM630 | PROMOVE P22 | STAR SH1200 | ITALDEM K 1030



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1000	MB17P1000	82.0
Point	118	1150	MB17P1150	94.3
Chisel	118	1000	MB17C1000	82.0
Chisel	118	1150	MB17C1150	94.3
Blunt	118	1000	MB17B1000	82.0

FIGURE 190 MONTABERT BRH750


IDROMECCANICA IMI 1200 | ITALDEM K 1300 | OCM130 | OMD 2000 | PROMOVE PMV1390 / P27SH | STAR SH1400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MB18P1100	93.3
Chisel	120	1100	MB18C1100	93.3
Blunt	120	1000	MB18B1000	84.8

FIGURE 191 MONTABERT M30


BOBCAT B300 | MONTABERT BRP30



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	410	MB35P0410	3.9
Chisel	40	410	MB35C0410	3.9

FIGURE 192 MONTABERT M50 / 50SMS


BOBCAT B500 | MONTABERT BRP45 / 50



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	430	MB33P0430	6.3
Point	50	630	MB33P0630	9.3
Chisel	50	430	MB33C0430	6.3
Chisel	50	630	MB33C0630	9.3

FIGURE 193 MONTABERT M70 / 70SMS


BOBCAT B600 / B700 | MONTABERT BRP60 / 70



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	510	MB34P0510	7.5
Point	50	710	MB34P0710	10.5
Chisel	50	510	MB34C0510	7.5
Chisel	50	710	MB34C0710	10.5

FIGURE 194 MONTABERT M85 / 85SMS / 90 / 90SMS


BOBCAT B850 / B950 | MONTABERT 95 / 100 (BRP85 / 95 / 100)



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	620	MB37P0620	14.0
Chisel	62	620	MB37C0620	14.0

MONTABERT 125SX

FIGURE 195




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	750	MB40P0750	24.2
Chisel	74	750	MB40C0750	24.2

MONTABERT M140 / 140SMS / 150 / 150SMS

FIGURE 196


BOBCAT B1200 / B1400 | MONTABERT M150 (BRP130 / 140 / 150)



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	740	MB36P0740	23.2
Point	74	950	MB36P0950	29.8
Chisel	74	740	MB36C0740	23.2
Chisel	74	950	MB36C0950	29.8

MONTABERT M300 / 300MS


FIGURE 197



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB39P0850	43
Chisel	95	850	MB39C0850	43

MONTABERT M600


FIGURE 198



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	930	MB26P0930	60.4
Chisel	105	930	MB26C0930	60.4

MONTABERT M700 / 700SMS


FIGURE 199



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	112	1000	MB25P1000	72.5
Chisel	112	1000	MB25C1000	72.5

MONTABERT M900 / 900MS / BRH625

FIGURE 200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1000	MB17P1000	82.0
Point	118	1150	MB17P1150	94.3
Chisel	118	1000	MB17C1000	82.0
Chisel	118	1150	MB17C1150	94.3
Blunt	118	1000	MB17B1000	82.0


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
49


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 201**MONTABERT SILVER CLIP 06 (SC06)****BOBCAT B280**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	37	440	MB47P0440	3.7
Chisel	37	440	MB47C0440	3.7
Pyramid Pt	37	440	MB47PP0440	3.7

FIGURE 202**MONTABERT SILVER CLIP 08 (SC08)****BOBCAT B380**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	455	MB46P0455	4.7
Chisel	42	455	MB46C0455	4.7
Pyramid Pt	42	455	MB46PP0455	4.7

FIGURE 203**MONTABERT SILVER CLIP 12 (SC12)****BOBCAT B580**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	44	475	MB41P0475	5.4
Chisel	44	475	MB41C0475	5.4
Pyramid Pt	44	475	MB41PP0475	5.4

FIGURE 204**MONTABERT SILVER CLIP 16 (SC16)****BOBCAT B680**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	54	550	MB43P0550	9.4
Chisel	54	550	MB43C0550	9.4
Pyramid Pt	54	550	MB43PP0550	9.4

FIGURE 205**MONTABERT SILVER CLIP 22 (SC22)****BOBCAT B880**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	580	MB44P0580	13.1
Chisel	62	580	MB44C0580	13.1
Pyramid Pt	62	580	MB44PP0580	13.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
50

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

MONTABERT SILVER CLIP 28 (SC28)

FIGURE 206

BOBCAT B980




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	69	620	MB42P0620	17.4
Chisel	69	620	MB42C0620	17.4
Pyramid Pt	69	620	MB42PP0620	17.4

MONTABERT SILVER CLIP 36 (SC36)

FIGURE 207


BOBCAT B1180



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	77	710	MB45P0710	24.8
Chisel	77	710	MB45C0710	24.8
Pyramid Pt	77	710	MB45PP0710	24.8

MONTABERT SILVER CLIP 42 (SC42)

FIGURE 208




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	800	MB52P0800	34.0
Chisel	85	800	MB52C0800	34.0
Pyramid Pt	85	800	MB52PP0800	34.0

MONTABERT SILVER CLIP 50 (SC50)

FIGURE 209

BOBCAT HB2380




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	MB53P0850	45.2
Chisel	95	850	MB53C0850	45.2
Pyramid Pt	95	850	MB53PP0850	45.2

MONTABERT V32 / V32MS / V1200

FIGURE 210


JCB HM690 | MONTABERT V32(BRV32)



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	122	1100	MB21P1100	96.4
Point	122	1300	MB21P1300	113.9
Chisel	122	1100	MB21C1100	96.4
Chisel	122	1300	MB21C1300	113.9
Blunt	122	1100	MB21B1100	96.4

MONTABERT V43 / BRV43

FIGURE 211



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	MB22P1250	165.6
Chisel	150	1250	MB22C1250	165.6
Blunt	150	1100	MB22B1100	145.7


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
51


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 212 MONTABERT V45 / BRV45


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1350	MB48P1350	178.8
Point	150	1500	MB48P1500	198.7
Chisel	150	1350	MB48C1350	178.8
Chisel	150	1500	MB48C1500	198.7
Blunt	150	1350	MB48B1350	178.8
Blunt	150	1500	MB48B1500	198.7

FIGURE 213 MONTABERT V53 / BRV53


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1400	MB24P1400	238.2
Chisel	170	1400	MB24C1400	238.2
Blunt	170	1250	MB24B1250	212.7

FIGURE 214 MONTABERT V55 / BRV55


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1500	MB49P1500	255.2
Chisel	170	1500	MB49C1500	255.2
Blunt	170	1500	MB49B1500	255.2

FIGURE 215 MONTABERT V65 / BRV65

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	202	1800	MB29P1800	432.4
Chisel	202	1800	MB29C1800	432.4
Blunt	202	1800	MB29B1800	432.4

FIGURE 216 MONTABERT V1600


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	MB19P1300	154.3
Chisel	140	1300	MB19C1300	154.3
Blunt	140	1200	MB19B1200	142.5

FIGURE 217 MONTABERT V1800

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1300	MB51P1300	150.0
Chisel	140	1300	MB51C1300	150.0
Blunt	140	1300	MB51B1300	150.0

MONTABERT V2500


FIGURE 218



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1500	MB50P1500	226.1
Chisel	160	1500	MB50C1500	226.1
Blunt	160	1350	MB50B1350	203.5

MONTABERT V3500


FIGURE 219



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1560	MB59P1560	278.1
Chisel	175	1560	MB59C1560	278.1
Blunt	175	1400	MB59B1400	249.5

MONTABERT V4500

FIGURE 220




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1660	MB60P1660	352.8
Chisel	190	1660	MB60C1660	352.8
Blunt	190	1450	MB60B1450	308.2

MONTABERT (BLUE LINE) XL1000

FIGURE 221

DOOSAN DXB100H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	107	1000	MB54P1000	67.4
Chisel	107	1000	MB54C1000	67.4
Blunt	107	1000	MB54B1000	67.4

MONTABERT (BLUE LINE) XL1300

FIGURE 222

DOOSAN DXB130H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	124	1100	MB55P1100	88.7
Chisel	124	1100	MB55C1100	88.7
Blunt	124	1100	MB55B1100	88.7

MONTABERT (BLUE LINE) XL1700

FIGURE 223

DOOSAN DXB170H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	137	1200	MB56P1200	132.6
Chisel	137	1200	MB56C1200	132.6
Blunt	137	1200	MB56B1200	132.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
53


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue

MONTABERT

FIGURE 224 MONTABERT (BLUE LINE) XL1900


D00SAN DXB190H



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1350	MB57P1350	160.3
Chisel	142	1350	MB57C1350	160.3
Blunt	142	1350	MB57B1350	160.3

FIGURE 225 MONTABERT (BLUE LINE) XL2600


D00SAN DXB260H




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1400	MB58P1400	200.6
Chisel	156	1400	MB58C1400	200.6
Blunt	156	1400	MB58B1400	200.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-2900000




MSB SAGA 20II**FIGURE 226**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	400	MS35P0400	4.7
Chisel	45	400	MS35C0400	4.7

MSB SAGA 30II**FIGURE 227**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	500	MS29P0500	8.3
Chisel	53	500	MS29C0500	8.3

MSB SAGA 40II**FIGURE 228**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	59	550	MS36P0550	11.5
Chisel	59	550	MS36C0550	11.5

MSB SAGA 50**FIGURE 229**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	700	MS37P0700	19.1
Chisel	68	700	MS37C0700	19.1

MSB SAGA 80 / 81**FIGURE 230**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	74	750	MS38P0750	24.5
Chisel	74	750	MS38C0750	24.5

MSB SAGA 100**FIGURE 231**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	900	MS39P0900	38.3
Chisel	85	900	MS39C0900	38.3

MSB SAGA 120**FIGURE 232**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	98	950	MS40P0950	53.7
Chisel	98	950	MS40C0950	53.7


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
55


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 233 MSB SAGA 180

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MS41P1100	93.3
Chisel	120	1100	MS41C1100	93.3

FIGURE 234 MSB SAGA 200II / 220


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1200	MS42P1200	128.8
Chisel	135	1200	MS42C1200	128.8

FIGURE 235 MSB SAGA 300


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	MS43P1300	172.2
Chisel	150	1300	MS43C1300	172.2

FIGURE 236 MSB SAGA 350


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	153	1400	MS44P1400	192.9
Chisel	153	1400	MS44C1400	192.9

FIGURE 237 MSB MS 35AT


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1350	MS30P1350	216.4
Chisel	165	1350	MS30C1350	216.4

FIGURE 238 MSB MS 45AT

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1500	MS31P1500	270.5
Chisel	175	1500	MS31C1500	270.5

FIGURE 239 MSB MS 75AT


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	205	1650	MS33P1650	408.2
Chisel	205	1650	MS33C1650	408.2

MSB MS200**FIGURE 240**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	600	MS11P0600	13.6
Chisel	63	600	MS11C0600	13.6

MSB MS220H / 230H**FIGURE 241**


ALLIED AR70B | INAN MAKINA (MTB) MT 25 | MTB MT25 | WIMMER W-220



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	680	MS12P0680	19.6
Chisel	70	680	MS12C0680	19.6

MSB MS250**FIGURE 242**


ALLIED AR75B | INAN MAKINA (MTB) MT 35 / 36 | MSB MS225 / MS250H | MTB MT35 / 36



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	700	MS22P0700	23.2
Chisel	75	700	MS22C0700	23.2

MSB MS300**FIGURE 243**


ALLIED AR85 | INAN MAKINA (MTB) MT 45 | MSB MS300H | MTB MT45 | WIMMER W-330




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	790	MB43P0790	33.6
Chisel	85	790	MB43C0790	33.6

MSB MS400**FIGURE 244**

ALLIED AR95 | MSB MS400H | WIMMER W-440




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	920	MS14P0920	48.9
Chisel	95	920	MS14C0920	48.9

MSB MS450H / MS460H**FIGURE 245**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	920	MS23P0920	54.2
Chisel	100	920	MS23C0920	54.2

MSB MS500H / MS520H**FIGURE 246**

INAN MAKINA (MTB) MT 120 | MTB MT120 | WIMMER W-550




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	1050	MS15P1050	74.8
Chisel	110	1050	MS15C1050	74.8

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000**THOMAS
TURTON****PAGE
57**© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 247 MSB MS550H


ALLIED AR120 | INAN MAKINA (MTB) MT 150 | MTB MT150 | WIMMER W-600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1100	MS25P1100	93.3
Chisel	120	1100	MS25C1100	93.3

FIGURE 248 MSB MS600


ALLIED AR130B | INAN MAKINA (MTB) MT 170 | MTB MT170 | WIMMER W-660



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1200	MS20P1200	119.4
Chisel	130	1200	MS20C1200	119.4
Blunt	130	1100	MS20B1100	109.4

FIGURE 249 MSB MS700


ALLIED AR140 | INAN MAKINA (MTB) MT 210 | MTB MT210 | WIMMER W-770



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	MS21P1200	138.5
Chisel	140	1200	MS21C1200	138.5
Blunt	140	1100	MS21B1100	126.9

FIGURE 250 MSB MS800 / MS810H


ALLIED AR160C | INAN MAKINA (MTB) MT 275 | MSB MS810H | MTB MT270 / 275 | WIMMER W-880




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	MS24P1400	211.0
Chisel	160	1400	MS24C1400	211.0
Blunt	160	1250	MS24B1250	188.4

FIGURE 251 MSB MS900 / MS910


INAN MAKINA (MTB) MT 360 | MTB MT360 | WIMMER W-990




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	170	1450	MS19P1450	246.7
Chisel	170	1450	MS19C1450	246.7
Blunt	170	1300	MS19B1300	221.2

FIGURE 252 MSB MS1000H / MSB MS 55AT


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1600	MS34P1600	305.2
Chisel	180	1600	MS34C1600	305.2
Blunt	180	1600	MS34B1600	305.2

NPK E-106**FIGURE 253**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	41	410	NP59P0410	4.1
Chisel	41	410	NP59C0410	4.1

NPK E-200 / GH06**FIGURE 254**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	500	NP43P0500	5.2
Chisel	42	500	NP43C0500	5.2

NPK E-201 / GH07**FIGURE 255**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	47	550	NP44P0550	7.2
Chisel	47	550	NP44C0550	7.2

NPK E-202 / GH1**FIGURE 256**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	650	NP45P0650	12.4
Chisel	57	650	NP45C0650	12.4

NPK E-203 / GH2**FIGURE 257**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	66	700	NP46P0700	18.0
Chisel	66	700	NP46C0700	18.0

NPK E-204 / GH3**FIGURE 258**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	76	750	NP47P0750	25.5
Chisel	76	750	NP47C0750	25.5

NPK E-205 / GH4**FIGURE 259**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	86	850	NP48P0850	37.0
Chisel	86	850	NP48C0850	37.0


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
59


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 260 NPK E-206


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	96	940	NP49P0940	51.0
Chisel	96	940	NP49C0940	51.0

FIGURE 261 NPK E-207 / GH6


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	950	NP53P0950	62.8
Chisel	106	950	NP53C0950	62.8

FIGURE 262 NPK E-208A


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1050	NP54P1050	83.2
Chisel	116	1050	NP54C1050	83.2

FIGURE 263 NPK GH7


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1050	NP63P1050	83.2
Chisel	116	1050	NP63C1050	83.2

FIGURE 264 NPK GH9 / H-10XB / H-10XE


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP27P1100	102.8
Chisel	126	1100	NP27C1100	102.8
Blunt	126	1000	NP27B1000	93.5

FIGURE 265 NPK GH10


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1200	NP55P1200	130.7
Chisel	136	1200	NP55C1200	130.7
Blunt	136	1100	NP55B1100	119.8

FIGURE 266 NPK GH12


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP60P1300	160.9
Chisel	146	1300	NP60C1300	160.9
Blunt	146	1200	NP60B1200	148.5

NPK GH15**FIGURE 267**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1400	NP61P1400	198.0
Chisel	156	1400	NP61C1400	198.0
Blunt	156	1300	NP61B1300	183.9

NPK GH18**FIGURE 268**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1630	NP62P1630	261.3
Chisel	165	1630	NP62C1630	261.3
Blunt	165	1450	NP62B1450	232.4

NPK E-210A**FIGURE 269**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP26P1100	102.8
Chisel	126	1100	NP26C1100	102.8
Blunt	126	1100	NP26B1100	102.8

NPK E-12X / E-212**FIGURE 270**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1200	NP50P1200	112.2
Chisel	126	1200	NP50C1200	112.2
Blunt	126	1200	NP50B1200	112.2

NPK E-213**FIGURE 271**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1300	NP34P1300	141.6
Chisel	136	1300	NP34C1300	141.6
Blunt	136	1300	NP34B1300	141.6

NPK E-15X / E-215**FIGURE 272**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1250	NP51P1250	136.1
Chisel	136	1250	NP51C1250	136.1
Blunt	136	1250	NP51B1250	136.1

NPK E-216**FIGURE 273**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP37P1300	163.1
Chisel	146	1300	NP37C1300	163.1
Blunt	146	1300	NP37B1300	163.1


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
61


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 274 NPK E-18X / E-218


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	NP52P1300	163.1
Chisel	146	1300	NP52C1300	163.1
Blunt	146	1300	NP52B1300	163.1

FIGURE 275 NPK E-220


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP35P1350	193.4
Chisel	156	1350	NP35C1350	193.4
Blunt	156	1350	NP35B1350	193.4

FIGURE 276 NPK E-24X / E-224


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP36P1350	193.4
Chisel	156	1350	NP36C1350	193.4
Blunt	156	1350	NP36B1350	193.4

FIGURE 277 NPK E-225


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1525	NP39P1520	244.4
Chisel	165	1525	NP39C1525	244.4
Blunt	165	1350	NP39P1350	216.4

FIGURE 278 NPK E-235

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1650	NP33P1650	350.7
Chisel	190	1650	NP33C1650	350.7
Blunt	190	1650	NP33B1650	350.7

FIGURE 279 NPK E-240A

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	184	1800	NP56P1800	358.8
Chisel	184	1800	NP56C1800	358.8
Blunt	184	1600	NP56B1600	318.9

FIGURE 280 NPK H-06X

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	470	NP10P0470	4.4
Chisel	40	470	NP10C0470	4.4


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
62


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

NPK H-08XA**FIGURE 281****ARROWHEAD 2T**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	NP11P0480	5.7
Chisel	45	480	NP11C0480	5.7

NPK H-1XA**FIGURE 282**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	580	NP13P0580	11.1
Chisel	57	580	NP13C0580	11.1

NPK H-2XA / H-2XE**FIGURE 283****ARROWHEAD 4T**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	620	NP14P0620	15.4
Chisel	65	620	NP14C0620	15.4

NPK H-3XA / H-3XE**FIGURE 284**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	710	NP16P0710	23.5
Chisel	75	710	NP16C0710	23.5

NPK H-4X**FIGURE 285**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	780	NP17P0780	37.2
Chisel	90	780	NP17C0780	37.2

NPK H-6XA**FIGURE 286**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	96	920	NP18P0920	49.9
Chisel	96	920	NP18C0920	49.9

NPK H-7XA**FIGURE 287**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	930	NP20P0930	60.4
Chisel	105	930	NP20C0930	60.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
63

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 288


NPK H-8XA



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	116	1015	NP22P1015	79.0
Chisel	116	1015	NP22C1015	79.0

FIGURE 289


NPK H-10XB / H-10XE



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	126	1100	NP27P1100	102.8
Chisel	126	1100	NP27C1100	102.8
Blunt	126	1000	NP27B1000	93.5

FIGURE 290


NPK H-12XE



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	136	1200	NP28P1200	128.8
Chisel	136	1200	NP28C1200	128.8
Blunt	136	1100	NP28B1100	118.0

FIGURE 291


NPK H-16X / E



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	145	1300	NP30P1300	160.9
Chisel	145	1300	NP30C1300	160.9
Blunt	145	1300	NP30B1300	160.9

FIGURE 292

NPK H-20X / E



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	156	1350	NP31P1350	193.4
Chisel	156	1350	NP31C1350	193.4
Blunt	156	1350	NP31B1350	193.4


FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PROMOVE XP100


FIGURE 293



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	46	430	PR14P0430	5.4
Chisel	46	430	PR14C0430	5.4

PROMOVE XP150


FIGURE 294



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	500	PR15P0500	9.2
Chisel	56	500	PR15C0500	9.2

PROMOVE XP250


FIGURE 295



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	64	620	PR16P0620	15.0
Chisel	64	620	PR16C0620	15.0

PROMOVE XP300 / 400 / 450


FIGURE 296



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	650	PR17P0650	24.5
Chisel	80	650	PR17C0650	24.5

PROMOVE XP550 / 551


FIGURE 297



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	87	815	PR18P0815	36.3
Chisel	87	815	PR18C0815	36.3

PROMOVE XP800


FIGURE 298



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	920	PR19P0920	54.2
Chisel	100	920	PR19C0920	54.2

PROMOVE XP1200

FIGURE 299



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1000	PR20P1000	84.8
Chisel	120	1000	PR20C1000	84.8
Blunt	120	900	PR20B0900	76.3

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
65

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

Demolition Tools Catalogue


PROMOVE

FIGURE 300 PROMOVE XP1500




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	PR21P1100	109.4
Chisel	130	1100	PR21C1100	109.4
Blunt	130	1000	PR21B1000	99.5

FIGURE 301 PROMOVE XP2400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	PR23P1300	172.2
Chisel	150	1300	PR23C1300	172.2
Blunt	150	1200	PR23B1200	159.0

FIGURE 302 PROMOVE XP4500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	180	1575	PR25P1575	300.4
Chisel	180	1575	PR25C1575	300.4
Blunt	180	1400	PR25B1400	267.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



RAMMER S18 / PICCOLO**FIGURE 303**


CATERPILLAR CAT H45 / H45FT | KUBOTA KXB 300 / 350 | VOLVO HB80



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	400	RM60P0400	3.8
Chisel	40	400	RM60C0400	3.8

RAMMER S21**FIGURE 304**

BOBCAT 1750 | CATERPILLAR CAT H50 / H50FT | JCB HM160 | O&K H32 | VOLVO HB130



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	RM11P0480	5.7
Point	45	560	RM11P0560	6.7
Chisel	45	480	RM11C0480	5.7
Chisel	45	560	RM11C0560	6.7

RAMMER S22**FIGURE 305**

CATERPILLAR CAT H63 / H63FT | O&K H45 | VOLVO HB200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	530	RM25P0530	7.8
Point	50	600	RM25P0600	8.8
Chisel	50	530	RM25C0530	7.8
Chisel	50	600	RM25C0600	8.8

RAMMER S23**FIGURE 306**

JCB HM260 | O&K H65 | ROBI BH30 | VOLVO HB300



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	680	RM12P0680	15.9
Point	63	780	RM12P0780	18.2
Chisel	63	680	RM12C0680	15.9
Chisel	63	780	RM12C0780	18.2

RAMMER S24**FIGURE 307**

CATERPILLAR CAT H70 / H70FT



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM13P0730	21.1
Chisel	70	730	RM13C0730	21.1

RAMMER S25**FIGURE 308**

JCB HM360 | O&K H85 | ROBI BH50 | VOLVO HB440



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM14P0730	21.1
Point	70	830	RM14P0830	23.9
Chisel	70	730	RM14C0730	21.1
Chisel	70	830	RM14C0830	23.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
67

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER

FIGURE 309 RAMMER S26

CATERPILLAR CAT H90 / H90FT | DAINONG DNB D50 | JCB HM460



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	RM15P0850	40.5
Chisel	90	850	RM15C0850	40.5

FIGURE 310 RAMMER S27

JCB HM550 | O&K H120 | VOLVO HB600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	84	840	RM27P0840	34.9
Chisel	84	840	RM27C0840	34.9

FIGURE 311 RAMMER S29

CATERPILLAR CAT H100 / H100FT | JCB HM850 | O&K H150 | ROBI BH80 | VOLVO HB800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	RM24P0900	47.8
Chisel	95	900	RM24C0900	47.8

FIGURE 312 RAMMER S52


CATERPILLAR CAT 110 / B110



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	110	900	RM16P0900	64.1
Chisel	110	900	RM16C0900	64.1

FIGURE 313 RAMMER S54

CATERPILLAR CAT 115C / 116 | DAINONG DNB D60 | JCB HM560



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM17P1050	81.8
Chisel	115	1050	RM17C1050	81.8

FIGURE 314 RAMMER S55/E66

CATERPILLAR CAT H120S | JCB HM660 | JCB HM1350



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18C1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-2900000



**THOMAS
TURTON**

PAGE
68

RAMMER S56

FIGURE 315

CATERPILLAR CAT C130 | DAINONG DNB D70 / 90 | JCB HM760



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM19P1100	109.4
Chisel	130	1100	RM19C1100	109.4
Blunt	130	1000	RM19B1000	99.5

RAMMER S82

FIGURE 316



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM20P1200	138.5
Chisel	140	1200	RM20C1200	138.5
Blunt	140	1050	RM20B1050	121.2

RAMMER S83

FIGURE 317

CATERPILLAR CAT 140 / B140S / H140AS | DAINONG DNB D110



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM21P1200	138.5
Chisel	140	1200	RM21C1200	138.5
Blunt	140	1050	RM21B1050	121.2

RAMMER S84

FIGURE 318

CATERPILLAR CAT 160 / B160 / H160AS | JCB HM960



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1350	RM22P1350	203.5
Chisel	160	1350	RM22C1350	203.5
Blunt	160	1200	RM22B1200	180.9

RAMMER S86

FIGURE 319

CATERPILLAR CAT 170 / B170 / H170 | DAINONG DNB D160




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM23P1450	246.7
Chisel	169	1450	RM23C1450	246.7
Blunt	169	1300	RM23B1300	221.2

RAMMER E63

FIGURE 320

JCB HM1150 | VOLVO HB1100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	RM34P1000	77.9
Chisel	115	1000	RM34C1000	77.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
69

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER

FIGURE 321 RAMMER E64


CATERPILLAR CAT H115S | JCB HM1050 | O&K H200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	1050	RM30P1050	69.5
Point	106	1150	RM30P1150	76.1
Chisel	106	1050	RM30C1050	69.5
Chisel	106	1150	RM30C1150	76.1

FIGURE 322 RAMMER E65

JCB HM1450 | VOLVO HB1400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM33P1050	96.6
Chisel	125	1050	RM33C1050	96.6
Blunt	125	850	RM33B0850	78.2

FIGURE 323 RAMMER E66 / S55

O&K H260



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18C1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

FIGURE 324 RAMMER E68

CATERPILLAR CAT H130S | JCB HM1750 | O&K H310 | VOLVO HB1700



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM32P1100	109.4
Point	130	1200	RM32P1200	119.4
Chisel	130	1100	RM32C1100	109.4
Chisel	130	1200	RM32C1200	119.4
Blunt	130	900	RM32B0900	89.5

FIGURE 325 RAMMER G80

CATERPILLAR CAT H140CS / 140DS | JCB HM2350 | O&K H380 | VOLVO HB2400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM35P1200	138.5
Chisel	140	1200	RM35C1200	138.5
Blunt	140	1050	RM35B1050	121.2

FIGURE 326 RAMMER G88



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1200	RM46P1200	142.5
Chisel	142	1200	RM46C1200	142.5
Blunt	142	1050	RM46B1050	124.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
70

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER G90

FIGURE 327

CATERPILLAR CAT H160CS / H160DS | JCB HM2950 | O&K H530 | VOLVO HB3200



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1400	RM36P1400	211.0
Chisel	159	1400	RM36C1400	211.0
Blunt	159	1250	RM36B1250	188.4

RAMMER G99

FIGURE 328




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1450	SV3P1450	235.2
Chisel	165	1450	SV3C1450	235.2
Blunt	165	1250	SV3B1250	202.8

RAMMER G100

FIGURE 329

CATERPILLAR CAT H180S | JCB HM3850



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM41P1450	246.7
Chisel	169	1450	RM41C1450	246.7
Blunt	169	1300	RM41B1300	221.2

RAMMER G110

FIGURE 330

CATERPILLAR H180DS | JCB HM3950 | O&K H700 | VOLVO HB3800



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1450	RM42P1450	261.4
Chisel	175	1450	RM42C1450	261.4
Blunt	175	1300	RM42B1300	234.4

RAMMER G120

FIGURE 331


CATERPILLAR CAT 195 / B195 / H195



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	195	1500	RM40P1500	335.8
Chisel	195	1500	RM40C1500	335.8
Blunt	195	1350	RM40B1350	302.2

RAMMER G130

FIGURE 332



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	203	1550	RM43P1550	376.1
Chisel	203	1550	RM43C1550	376.1
Blunt	203	1400	RM43B1400	339.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
71

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER

FIGURE 333 RAMMER M14



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1100	RM44P1100	101.2
Chisel	125	1100	RM44C1100	101.2

FIGURE 334 RAMMER M18


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM45P1200	138.5
Chisel	140	1200	RM45C1200	138.5
Blunt	140	1100	RM45B1100	126.9

FIGURE 335 RAMMER BR111


KUBOTA KXB 310 | ROBI MH7




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	360	KB10P0360	2.7
Chisel	36	360	KB10C0360	2.7

FIGURE 336 RAMMER BR222

KUBOTA KXB 360 | ROBI MH11



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	400	CB11P0400	4.2
Chisel	42	400	CB11C0400	4.2

FIGURE 337 RAMMER BR255


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	380	CT10P0380	3.6
Chisel	40	380	CT10C0380	3.6

FIGURE 338 RAMMER BR321


KUBOTA KXB 400 / BTB400



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	RM11P0480	5.7
Point	45	560	RM11P0560	6.7
Chisel	45	480	RM11C0480	5.7
Chisel	45	560	RM11C0560	6.7

FIGURE 339 RAMMER BR333

KUBOTA KXB 460 | ROBI MH15



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	CB12P0500	7.4
Chisel	50	500	CB12C0500	7.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
72


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER BR422**FIGURE 340**


KUBOTA KXB 450



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	600	RM25P0600	8.8
Chisel	50	600	RM25C0600	8.8

RAMMER BR455**FIGURE 341**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	56	520	CT30P0520	9.6
Chisel	56	520	CT30C0520	9.6

RAMMER BR555**FIGURE 342**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	72	650	SV13P0650	19.8
Chisel	72	650	SV13C0650	19.8

RAMMER BR623**FIGURE 343**

KUBOTA KXB 500



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	63	680	RM12P0680	15.9
Chisel	63	680	RM12C0680	15.9

RAMMER BR777**FIGURE 344**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	750	SV14P0750	28.3
Chisel	80	750	SV14C0750	28.3

RAMMER BR825**FIGURE 345**

KUBOTA KXB 600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	730	RM14P0730	21.1
Point	70	830	RM14P0830	23.9
Chisel	70	730	RM14C0730	21.1
Chisel	70	830	RM14C0830	23.9

RAMMER BR927**FIGURE 346**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	84	840	RM27P0840	34.9
Chisel	84	840	RM27C0840	34.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
73

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER

FIGURE 347

RAMMER BR999



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	90	850	SV15P0850	40.5
Chisel	90	850	SV15C0850	40.5

FIGURE 348

RAMMER BR1129



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	RM24P0900	47.8
Chisel	95	900	RM24C0900	47.8

FIGURE 349

RAMMER BR1533



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1000	SV17P1000	64.9
Chisel	105	1000	SV17C1000	64.9

FIGURE 350

RAMMER BR2063



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1000	RM34P1000	77.9
Chisel	115	1000	RM34C1000	77.9

FIGURE 351

RAMMER BR2064



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	106	1050	RM30P1050	69.5
Point	106	1150	RM30P1150	76.1
Chisel	106	1050	RM30C1050	69.5
Chisel	106	1150	RM30C1150	76.1

FIGURE 352

RAMMER BR2155



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	118	1050	SV10P1050	86.1
Chisel	118	1050	SV10C1050	86.1

FIGURE 353

RAMMER BR2214



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM44P1050	96.6
Chisel	125	1050	RM44C1050	96.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
74

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER BR2265

FIGURE 354



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	RM33P1050	96.6
Chisel	125	1050	RM33C1050	96.6
Blunt	125	850	RM33B0850	78.2

RAMMER BR2266

FIGURE 355



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	RM18P1050	81.8
Point	115	1150	RM18P1150	89.5
Chisel	115	1050	RM18C1050	81.8
Chisel	115	1150	RM18C1150	89.5
Blunt	115	950	RM18B0950	74.0

RAMMER BR2568

FIGURE 356

ROBI EH170



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1100	RM32P1100	109.4
Point	130	1200	RM32P1200	119.4
Chisel	130	1100	RM32C1100	109.4
Chisel	130	1200	RM32C1200	119.4
Blunt	130	900	RM32B0900	89.5

RAMMER BR2577

FIGURE 357



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	SV11P1100	118.0
Chisel	135	1100	SV11C1100	118.0
Blunt	135	1100	SV11B1100	118.0

RAMMER BR2518

FIGURE 358



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	RM45P1200	138.5
Chisel	140	1200	RM45C1200	138.5
Blunt	140	1100	RM45B1100	126.9

RAMMER BR3088 / 3288

FIGURE 359

ROBI EH240



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	142	1200	RM46P1200	142.5
Chisel	142	1200	RM46C1200	142.5
Blunt	142	1050	RM46B1050	124.7

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
75

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

RAMMER

FIGURE 360

RAMMER BR3890



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	159	1400	RM36P1400	211.0
Chisel	159	1400	RM36C1400	211.0
Blunt	159	1250	RM36B1250	188.4

FIGURE 361

RAMMER BR4099



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1450	SV3P1450	235.2
Chisel	165	1450	SV3C1450	235.2
Blunt	165	1250	SV3B1250	202.8

FIGURE 362

RAMMER BR4510

CATERPILLAR H180S / JCB HM3850



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	169	1450	RM41P1450	246.7
Chisel	169	1450	RM41C1450	246.7
Blunt	169	1300	RM41B1300	221.2

FIGURE 363


RAMMER BR4511



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1450	RM42P1450	261.4
Chisel	175	1450	RM42C1450	261.4
Blunt	175	1300	RM42B1300	234.4

FIGURE 364

RAMMER BR5011



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	190	1550	SV18P1550	329.4
Chisel	190	1550	SV18C1550	329.4
Blunt	190	1400	SV18B1400	297.6

FIGURE 365

RAMMER BR7013



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	203	1700	RM43P1700	412.5
Chisel	203	1700	RM43C1700	412.5
Blunt	203	1550	RM43B1550	376.1

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
76

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

ROTAIR OL50

FIGURE 366




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	36	400	FU21P0400	3.1
Chisel	36	400	FU21C0400	3.1

ROTAIR OL90 (WITH COLLAR)

FIGURE 367

OMAL 80S | PEL-JOB MH90



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	480	PJ11P0480	6.5
Chisel	48	480	PJ11C0480	6.5

ROTAIR OL90/95

FIGURE 368


IDROMECCANICA IMI 88 | PEL-JOB MH95



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	48	480	RT11P0480	6.5
Chisel	48	480	RT11C0480	6.5

ROTAIR OL130/160

FIGURE 369




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	54	500	RT14P0500	8.6
Chisel	54	500	RT14C0500	8.6

ROTAIR OL180/260

FIGURE 370


PEL-JOB MH180



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	550	RT12P0550	15.0
Chisel	68	550	RT12C0550	15.0

ROTAIR OL250/330

FIGURE 371




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	78	600	RT13P0600	20.9
Chisel	78	600	RT13C0600	20.9

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




FIGURE 372 SOCOMEK DMS 50



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	350	S028P0350	4.2
Chisel	45	350	S028C0350	4.2

FIGURE 373 SOCOMEK DMS 95


MD0 55 | DMS 95-2



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	480	S025P0480	5.7
Chisel	45	480	S025C0480	5.7


FIGURE 374 SOCOMEK DMS 160

MD0 80



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	55	570	S026P0570	10.2
Chisel	55	570	S026C0570	10.2


FIGURE 375 SOCOMEK DMS 210



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	62	680	S035P0680	15.4
Chisel	62	680	S035C0680	15.4


FIGURE 376 SOCOMEK DMS 220

MD0 100



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	600	S021P0600	14.9
Chisel	65	600	S021C0600	14.9

FIGURE 377 SOCOMEK DMS 270



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	660	S024P0660	18.0
Chisel	68	660	S024C0660	18.0

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

SOCOMEK DMS 330

FIGURE 378


MDO 250 / 260



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	72	700	S023P0700	21.4
Chisel	72	700	S023C0700	21.4

SOCOMEK MDO300


FIGURE 379



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	73	700	BE13P0700	22.0
Chisel	73	700	BE13C0700	22.0

SOCOMEK DMS 410


FIGURE 380



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	720	S013P0720	27.1
Chisel	80	720	S013C0720	27.1

SOCOMEK DMS 430 / MDO 450


FIGURE 381



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	780	S027P0780	33.2
Chisel	85	780	S027C0780	33.2

SOCOMEK MDO 500

FIGURE 382




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	850	S010P0850	45.2
Chisel	95	850	S010C0850	45.2

SOCOMEK DMS 740

FIGURE 383


SOCOMEK DMS 680 / 850 / 910



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	900	S034P0900	47.8
Chisel	95	900	S034C0900	47.8

SOCOMEK MDO 550

FIGURE 384



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	970	S011P0970	51.5
Chisel	95	970	S011C0970	51.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




**THOMAS
TURTON**

PAGE
79


© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 385 SOCOMEK MDO 750




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	S012P1050	81.8
Chisel	115	1050	S012C1050	81.8

FIGURE 386 SOCOMEK MDO 900V




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	117	1000	S019P1000	82.0
Chisel	117	1000	S019C1000	82.0

FIGURE 387 SOCOMEK MDO 1450




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	129	1150	S014P1150	112.7
Chisel	129	1150	S014C1150	112.7
Blunt	129	1050	S014B1050	102.9

FIGURE 388 SOCOMEK MDO 1950




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1250	S020P1250	144.2
Chisel	140	1250	S020C1250	144.2
Blunt	140	1150	S020B1150	132.7

FIGURE 389 SOCOMEK MDO 2050




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1330	S017P1330	188.1
Chisel	155	1330	S017C1330	188.1
Blunt	155	1200	S017B1200	169.7

FIGURE 390 SOCOMEK MDO 3000 / 3200




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	163	1400	S022P1400	219.0
Chisel	163	1400	S022C1400	219.0
Blunt	163	1250	S022B1250	195.5

FIGURE 391 SOCOMEK MDO 4000




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	178	1480	S036P1480	276.1
Chisel	178	1480	S036C1480	276.1
Blunt	178	1300	S036B1300	242.5

SOOSAN SB10**FIGURE 392**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	SS18P0450	4.2
Chisel	40	450	SS18C0450	4.2

SOOSAN SB20**FIGURE 393**


DEHACO DBH15




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	500	SS12P0500	6.0
Chisel	45	500	SS12C0500	6.0

SOOSAN SB30**FIGURE 394**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	53	570	SS10P0570	9.4
Chisel	53	570	SS10C0570	9.4

SOOSAN SB35**FIGURE 395**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	60	600	SS26P0600	12.7
Chisel	60	600	SS26C0600	12.7

SOOSAN SB40**FIGURE 396**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	68	710	SS11P0710	19.3
Chisel	68	710	SS11C0710	19.3

SOOSAN SB43**FIGURE 397**


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	800	SS22P0800	26.5
Chisel	75	800	SS22C0800	26.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



PAGE
81

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 398 SOOSAN SB45

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	85	850	SS13P0850	36.2
Chisel	85	850	SS13C0850	36.2

FIGURE 399 SOOSAN SB50


STANLEY MB30EX




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	1000	SS14P1000	58.9
Chisel	100	1000	SS14C1000	58.9

FIGURE 400 SOOSAN SB60

STANLEY MB40EX




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	125	1050	SS16P1050	96.6
Chisel	125	1050	SS16C1050	96.6

FIGURE 401 SOOSAN SB70 / 71


TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1100	SS28P1100	118.0
Chisel	135	1100	SS28C1100	118.0

FIGURE 402 SOOSAN SB81

STANLEY MB50EX



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	140	1200	SS20P1200	138.5
Chisel	140	1200	SS20C1200	138.5
Blunt	140	1100	SS30B1100	126.9

FIGURE 403 SOOSAN SB100

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1300	SS23P1300	172.2
Chisel	150	1300	SS23C1300	172.2
Blunt	150	1200	SS23B1200	159.0

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**


PAGE
82

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

SOOSAN SB121

FIGURE 404


SOOSAN 120A



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	155	1300	SS19P1300	183.9
Chisel	155	1300	SS19C1300	183.9
Blunt	155	1200	SS19B1200	169.7

SOOSAN SB130/140

FIGURE 405




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	165	1400	SS24P1400	224.4
Chisel	165	1400	SS24C1400	224.4
Blunt	165	1250	SS24B1250	200.4

SOOSAN SB151

FIGURE 406

DEHACO DBH380




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	175	1600	SS21P1600	288.5
Chisel	175	1600	SS21C1600	288.5
Blunt	175	1450	SS21B1450	261.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



FIGURE 407**TOKU TNB-08M**


HUPPI 52 | KOMATSU JTHB08



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	40	450	TK30P0450	4.2
Chisel	40	450	TK30C0450	4.2

FIGURE 408**TOKU TNB-08E / 1M**


HUPPI 72 | KOMATSU JTHB10



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	470	TK29P0470	5.6
Chisel	45	470	TK29C0470	5.6

FIGURE 409**TOKU TNB-1E / 2M**


DRAGO DRH50 / 60 / 70 / 80 | INAN MAKINA (MTB) MT 15 | KOMATSU JTHB20 | MTB MT15 | TELEDYNE TB120 / 125



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	50	500	TK11P0500	7.4
Point	50	600	TK11P0600	8.8
Chisel	50	500	TK11C0500	7.4
Chisel	50	600	TK11C0600	8.8

FIGURE 410**TOKU TNB-2E/3M**


DRAGO DRH120 | HUPPI 102 | KOMATSU JTHB30 | TELEDYNE TB180 / 225



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	58	650	TK12P0650	12.9
Point	58	700	TK12P0700	13.9
Chisel	58	650	TK12C0650	12.9
Chisel	58	700	TK12C0700	13.9

FIGURE 411**TOKU TNB-3E / 4M**


DRAGO DRH150 | KOMATSU JTHB40 | TELEDYNE TB275 / TB285



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	64	650	TK20P0650	15.7
Point	64	700	TK20C0700	16.9
Chisel	64	650	TK20C0650	15.7
Chisel	64	700	TK20C0700	16.9

FIGURE 412**TOKU TNB-4E / 5M**


DRAGO DRH180 / 250 | HUPPI 302 | KOMATSU JTHB50 | TELEDYNE TB220 / 325




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	75	650	TK13P0650	21.5
Point	75	720	TK13C0720	23.8
Chisel	75	650	TK13C0650	21.5
Chisel	75	720	TK13C0720	23.8

TOKU TNB-6E / 7M**FIGURE 413**

DRAGO DRH280 | HUPPI 402 | KOMATSU JTHB60 / 65 | TELEDYNE TB400 / 425 / 625




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	95	760	TK14P0760	40.4
Point	95	850	TK14P0850	45.2
Chisel	95	760	TK14C0760	40.4
Chisel	95	850	TK14C0850	45.2

TOKU TNB-7J**FIGURE 414**

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	105	1050	TK34P1050	68.2
Chisel	105	1050	TK34C1050	68.2

TOKU TNB-7E / 10E**FIGURE 415**


DRAGO DRH650S / 900 | HUPPI 902 | KOMATSU JTHB100 | TELEDYNE TB700 / 725 / 750 / 825



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	950	TK15P0950	74.0
Point	115	1000	TK15P1000	77.9
Chisel	115	950	TK15C0950	74.0
Chisel	115	1000	TK15C1000	77.9

TOKU TNB-14E / 16E**FIGURE 416**


DRAGO DRH1150S / 1600S | TELEDYNE TB900 / 925 / 975 / 1000 / 1025



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1150	TK16P1150	123.4
Chisel	135	1150	TK16C1150	123.4
Blunt	135	1050	TK16B1050	112.7

TOKU TNB-22E / 23E**FIGURE 417**


DRAGO DRH1900 | TELEDYNE TB1300 / 1425



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1300	TK18P1300	163.1
Chisel	146	1300	TK18C1300	163.1
Blunt	146	1150	TK18B1150	144.3

TOKU TNB-30E / 31E**FIGURE 418**

TELEDYNE TB1825 / 2075



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1500	TK19P1500	226.1
Chisel	160	1500	TK19C1500	226.1
Blunt	160	1350	TK19B1350	203.5

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000**THOMAS
TURTON****PAGE
85**© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 419 TOKU TNB-100


TELEDYNE TB830



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	115	1050	TK21P1050	81.8
Chisel	115	1050	TK21C1050	81.8

FIGURE 420 TOKU TNB-150


HUPPI 1900 / 1902 | KOMATSU JTHB150 | TELEDYNE TB980



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	135	1180	TK22P1180	126.6
Point	135	1270	TK22P1270	136.3
Chisel	135	1180	TK22C1180	126.6
Chisel	135	1270	TK22C1270	136.3
Blunt	135	1100	TK22B1100	118.0

FIGURE 421 TOKU TNB-190

KOMATSU JTHB190



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	139	1200	TK25P1200	136.5
Chisel	139	1200	TK25C1200	136.5
Blunt	139	1100	TK25B1100	125.1

FIGURE 422 TOKU TNB-230


KOMATSU JTHB230 | TELEDYNE TB1680



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	146	1220	TK23P1220	153.1
Chisel	146	1220	TK23C1220	153.1
Blunt	146	1100	TK23B1100	138.0

FIGURE 423 TOKU TNB-310


KOMATSU JTHB310 | TELEDYNE TB2080



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1350	TK27P1350	203.5
Chisel	160	1350	TK27C1350	203.5
Blunt	160	1200	TK27B1200	180.9

FIGURE 424 TOKU TNB-400

KOMATSU JTHB400 | TELEDYNE TB2580



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	178	1550	TK32P1550	289.1
Chisel	178	1550	TK32C1550	289.1
Blunt	178	1400	TK32B1400	261.2

TOYO THBB31

DEHACO DHB 35 | KOMATSU JKHB31 | TAKEUCHI TKB-31




FIGURE 425

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	30	350	T018P0350	1.9
Chisel	30	350	T018C0350	1.9

TOYO THBB51

DEHACO DHB 55 | KOMATSU JKHB51 | TAKEUCHI TKB-51



FIGURE 426

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	42	400	T019P0400	4.2
Chisel	42	400	T019C0400	4.2

TOYO THBB71

DEHACO DHB 75 | KOMATSU JKHB71 | TAKEUCHI TKB-71




FIGURE 427

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	45	450	T011P0450	5.4
Chisel	45	450	T011C0450	5.4

TOYO THBB101

DEHACO DHB165 | KOMATSU JKHB101 | TAKEUCHI TKB-101




FIGURE 428

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	57	550	T012P0550	10.5
Chisel	57	550	T012C0550	10.5

TOYO THBB201

KOMATSU JKHB201 | TAKEUCHI TKB-201




FIGURE 429

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	65	700	T023P0700	20.2
Chisel	65	700	T023C0700	20.2

TOYO THBB301

DEHACO DHB 305 | KOMATSU JKHB301 | TAKEUCHI TKB-301



FIGURE 430

TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	70	750	T013P0750	21.6
Chisel	70	750	T013C0750	21.6

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
87

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

FIGURE 431 TOYO THBB401

DEHACO DHB 405 | KOMATSU JKHB401 | TAKEUCHI TKB-401



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	80	900	T014P0900	33.9
Chisel	80	900	T014C0900	33.9

FIGURE 432 TOYO THBB801


DEHACO DHB 805 | DEHACO DHB 3205 (4105) | KOMATSU JKHB801 | TAKEUCHI TKB-801



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	100	960	T015P0960	56.5
Chisel	100	960	T015C0960	56.5

FIGURE 433 TOYO THBB1101


DEHACO DHB 1250 | KOMATSU JKHB1101 | TAKEUCHI TKB-1101



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	120	1050	T020P1050	89.0
Chisel	120	1050	T020C1050	89.0

FIGURE 434 TOYO THBB1401


DEHACO DHB 1305 | KOMATSU JKHB1401 | TAKEUCHI TKB-1401



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	130	1050	T016P1050	104.5
Chisel	130	1050	T016C1050	104.5

FIGURE 435 TOYO THBB1600


DEHACO DHB 1605 (1405) | KOMATSU JKHB 1500 / 1600 | TAKEUCHI TKB-1600



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	137	1120	T021P1120	123.8
Chisel	137	1120	T021C1120	123.8
Blunt	137	1020	T021B1020	112.7

FIGURE 436 TOYO THBB2000

DEHACO DHB 2305 | KOMATSU JKHB2000 | TAKEUCHI TKB-2000




TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	150	1250	T017P1250	165.6
Chisel	150	1250	T017C1250	165.6
Blunt	150	1150	T017B1150	152.3

TOYO THBB3000

FIGURE 437

KOMATSU JKHB3000 | TAKEUCHI TKB-3000



TYPE	DIAMETER (mm)	LENGTH (mm)	CAT. NUMBER	WEIGHT (kgs)
Point	160	1400	T022P1400	211.0
Chisel	160	1400	T022C1400	211.0
Blunt	160	1250	T022B1250	188.4

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



CATALOGUE NUMBER INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
90

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
AC10	ATLAS COPCO SB100 / SBC 115 ATLAS COPCO TEX 100H / 75H KUBOTA KM100	19	16
AC12	ATLAS COPCO TEX250H	25	17
AC12	ATLAS COPCO TEX 250H SCALER	26	17
AC14	ATLAS COPCO SB702 ATLAS COPCO HBC 1100 / 1700 ATLAS COPCO TEX 600H / 700H / 900H	29	17
AC15	ATLAS COPCO HBC 2500 ATLAS COPCO TEX 1400H	30	18
AC16	ATLAS COPCO HBC 4000 ATLAS COPCO TEX 1800H / 2000H CHICAGO PNEUMATIC (CP) CP2350	31	18
AC17	ATLAS COPCO SB150 / SB152 SBC 255 ATLAS COPCO TEX 110H BROKK90 JCB HM165 KUBOTA KM150	21	16
AC18	ATLAS COPCO SB200 / SB202 / SBC 410 ATLAS COPCO TEX 180H BROKK 160 / 180 JCB HM265 KUBOTA KM200	22	16
AC20	ATLAS COPCO SB450 / SBC 800 / 850 / SB452 ATLAS COPCO TEX 400H / HS BROKK 330 JCB HM495 KUBOTA KM450	27	17
AC21	ATLAS COPCO SB50 / SBC 60 ATLAS COPCO TEX 30 BROKK 40 KUBOTA KM10	17	15
AC22	ATLAS COPCO SB300 / SB302 / SBC 610 / SBC650 BROKK 250 / 260 JCB HM385 / 386Q KUBOTA KM300	23	16
AC23	ATLAS COPCO SB300 SCALER	24	17
AC24	ATLAS COPCO MB1000 BROKK 800 JCB HM3060	36	19
AC25	ATLAS COPCO SB102	20	16
AC26	ATLAS COPCO SB52 BROKK 50	18	16
AC28	ATLAS COPCO SB552 BROKK 400	28	17
AC29	ATLAS COPCO HBC 6000	32	18
AC30	ATLAS COPCO HB2500 CHICAGO PNEUMATIC (CP) RX38	43	20
AC32	ATLAS COPCO MB1500	38	19
AC33	ATLAS COPCO MB750	35	18
AC34	ATLAS COPCO HB3600	45	20
AC35	ATLAS COPCO HB4700	47	21
AC38	ATLAS COPCO HB2000	41	19
AH10	ARROWHEAD S20	2	13
AH11	ARROWHEAD S30 MK1 (WITH COLLAR)	3	13
AH12	ARROWHEAD S30 MK3 (WITHOUT COLLAR)	4	13
AH12	ARROWHEAD S40	5	13
AH13	ARROWHEAD S50	6	13
AH14	ARROWHEAD S60	7	13
AH16	ARROWHEAD 10T / S100	8	14
AH17	ARROWHEAD S10	1	13
AH18	ARROWHEAD S230	11	14
AH19	ARROWHEAD S180	10	14
AH23	ARROWHEAD S130	9	14
BE13	SOCOMEK MDO 300	379	79
CB11	KUBOTA KXB 360 RAMMER / SANDVIK BR222 ROBI MH11	336	72
CB12	KUBOTA KXB 460 RAMMER / SANDVIK BR333 ROBI MH15	339	72
CT10	CATERPILLAR CAT H35DS	50	22
CT10	RAMMER / SANDVIK BR255	337	72
CT20	CATERPILLAR CAT H45DS RAMMER / SANDVIK BR355	51	22
CT21	CATERPILLAR CAT H35ES	54	22
CT22	CATERPILLAR CAT H45ES	55	22
CT23	CATERPILLAR CAT H55ES	56	22
CT24	CATERPILLAR CAT H65ES	57	23
CT30	CATERPILLAR CAT H55DS	52	22
CT30	RAMMER / SANDVIK BR455	341	73
CT31	CATERPILLAR CAT H65DS	53	22
CT32	CATERPILLAR CAT H110ES	60	23
CT33	CATERPILLAR CAT H115ES	61	23

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
CT34	CATERPILLAR CAT H120ES	62	23
CT35	CATERPILLAR CAT H130ES	63	23
CT36	CATERPILLAR CAT H75ES	58	23
CT37	CATERPILLAR CAT H160ES	65	24
CT38	CATERPILLAR CAT H140ES	64	24
CT39	CATERPILLAR CAT H180ES	66	24
CT40	CATERPILLAR CAT H95ES	59	23
ED10	EVERDIGM EHB008 PRODEM PRB008	67	25
ED11	EVERDIGM EHB01 / EHB02 PRODEM PRB010	68	25
ED12	EVERDIGM EHB03 PRODEM PRB030	69	25
ED13	EVERDIGM EHB04 PRODEM PRB040	70	25
ED14	EVERDIGM EHB13 PRODEM PRB130	74	26
ED15	EVERDIGM EHB17 PRODEM PRB170	75	26
ED16	EVERDIGM EHB05 PRODEM PRB050	71	25
ED16	EVERDIGM EHB10 PRODEM PRB100	73	26
ED18	EVERDIGM EHB20 PRODEM PRB200	76	26
ED20	EVERDIGM EHB25 PRODEM PRB250	77	27
ED21	EVERDIGM EHB30 PRODEM PRB300	78	27
ED22	EVERDIGM EHB40 PRODEM PRB400	79	27
ED23	EVERDIGM EHB50 PRODEM PRB500	80	27
ED24	EVERDIGM EHB06 PRODEM PRB060	72	26
FU21	FURUKAWA F1 / FX15 KENT KF1	81	28
FU21	FURUKAWA HB1G KENT KHB1G	96	30
FU21	ROTAIR OL50	366	77
FU22	DAINONG (DNB) DNB K20 FURUKAWA F2 KENT KF2	82	28
FU22	FURUKAWA HB2G KENT KHB2G	97	30
FU23	DAINONG (DNB) DNB K25 DEMOTER (VISTIRINI) DM160RE FURUKAWA HB3G KENT KHB3G	98	30
FU24	DAINONG (DNB) DNB K30 FURUKAWA HB5G KENT KHB5G	99	31
FU25	FURUKAWA HB8G KENT KHB8G	100	31
FU26	DAINONG (DNB) DNB K50 FURUKAWA HB10G KENT KHB10G	101	31
FU27	DEHACO DHB1500S / DHB120 FURUKAWA HB15G KENT KHB15G	102	31
FU28	DAINONG (DNB) DNB K80 / 100 DEHACO DHB2000S FURUKAWA HB20G KENT KHB20G	103	31
FU29	DAINONG (DNB) DNB K120 DEHACO DHB3600S FURUKAWA HB30G KENT KHB30G	104	31
FU30	FURUKAWA HB40G KENT KHB40G	105	32
FU32	FURUKAWA F3 / FX35 KENT KF3	83	28
FU33	FURUKAWA F4 KENT KF4	84	28
FU33	FURUKAWA FXJ / FX275	108	32
FU34	DEMOTER (VISTIRINI) DM240RE FURUKAWA F5 KENT KF5	85	28
FU35	FURUKAWA F6 KENT KF6	86	28
FU37	FURUKAWA F9 KENT KF9	87	29
FU38	FURUKAWA F12 KENT KF12	88	29
FU39	FURUKAWA F19 KENT KF19	89	29
FU40	FURUKAWA F20 / F22 KENT KF22	90	29
FU41	FURUKAWA F27 KENT KF27	91	29
FU42	FURUKAWA F30 / F35 KENT KF35	92	29
FU43	FURUKAWA F45 KENT KF45	93	30
FU44	FURUKAWA F70 KENT KF70	94	30
FU46	FURUKAWA F100 FURUKAWA HB100G KENT KF100	95	30
FU51	FURUKAWA FXJ / FX125	106	32
FU52	FURUKAWA FXJ / FX175	107	32
FU54	FURUKAWA FXJ / FX375	109	32
FU55	FURUKAWA FXJ / FX475	110	32
HW11	HANWOO / RHINO / MAGNUM RHB 301-V / 302-V	111	33

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
HW12	HANWOO / RHINO / MAGNUM RHB 302 / 303-V	112	33
HW13	HANWOO / RHINO / MAGNUM RHB 303 / 303-VP	113	33
HW14	HANWOO / RHINO / MAGNUM RHB 305 / 305-V	114	33
HW15	HANWOO / RHINO / MAGNUM RHB 308	116	33
HW16	HANWOO / RHINO / MAGNUM RHB 313-V / 314	118	34
HW17	HANWOO / RHINO / MAGNUM RHB 322-2 / 323 / 325	120	34
HW18	HANWOO / RHINO / MAGNUM RHB 328-2 / 330	121	34
HW21	HANWOO / RHINO / MAGNUM RHB 306	115	33
HW23	HANWOO / RHINO / MAGNUM RHB 340	122	34
HW25	HANWOO / RHINO / MAGNUM RHB 308-2 / 309	117	34
HW28	HANWOO / RHINO / MAGNUM RHB 320	119	34
IN11	EURORAM / GLOBORAM / ROCKMASTER RM65 INDECO HB5 INDECO MES / UP 451 / 452 / 462P / 521 / 550 / HP500	126	35
IN12	EURORAM / GLOBORAM / ROCKMASTER RM80 INDECO HB8	128	35
IN13	EURORAM / GLOBORAM / ROCKMASTER RM85 / 90 INDECO HB12 INDECO MES / UP 1200.HP1200	131	36
IN15	EURORAM / GLOBORAM / ROCKMASTER RM110 INDECO HB19 INDECO MES / UP 1500 / HP1500	132	36
IN16	EURORAM / GLOBORAM / ROCKMASTER RM120 INDECO HB27 INDECO MES / UP 2000 / HP2000	134	36
IN17	EURORAM / GLOBORAM / ROCKMASTER RM48 INDECO MES / UP 180 / 181 / 200P / HP200	124	35
IN18	EURORAM / GLOBORAM / ROCKMASTER RM56 INDECO MES / UP 300 / 301 / 350P / 351P / HP300 / 350	125	35
IN19	INDECO MES / UP 601 / 621 / 650P / HP700	129	36
IN20	EURORAM / GLOBORAM / ROCKMASTER RM130 INDECO MES / UP 2500 / HP2500	135	37
IN21	EURORAM / GLOBORAM / ROCKMASTER RM145 INDECO MES / UP 3500 / HP3500	138	37
IN22	EURORAM / GLOBORAM / ROCKMASTER RM160 INDECO MES / UP 5000 / HP5000	140	37
IN23	EURORAM / GLOBORAM / ROCKMASTER RM45 INDECO MES / UP 121 / 150P / HP150	123	35
IN24	EURORAM / GLOBORAM / ROCKMASTER RM140 INDECO MES / UP 3000 / HP3000	137	37
IN25	EURORAM / GLOBORAM / ROCKMASTER RM180 INDECO MES / UP 7000 / HP7000	141	38
IN26	EURORAM / GLOBORAM / ROCKMASTER RM195 INDECO MES / UP 8500 / HP9000	142	38
IN28	EURORAM / GLOBORAM / ROCKMASTER RM150 INDECO MES / UP 4000 / 4001 / HP4000	139	37
IN29	EURORAM / GLOBORAM / ROCKMASTER RM75 INDECO MES / UP 553P / HP600	127	35
IN31	EURORAM / GLOBORAM / ROCKMASTER RM88 INDECO UP 900 / HP900	130	36
IN33	INDECO HP2750	136	37
IT24	ITALDEM GK 85 / 86 STAR SH91	143	39
IT25	ITALDEM GK 160 / 161 STAR SH151 / 161	144	39
IT27	ITALDEM GK 211 STAR SH200	145	39
IT28	ITALDEM GK 290 / 291 STAR SH281	146	39
IT29	ITALDEM GK 360 / 361	147	39
IT30	ITALDEM GK 600 / 610 / 620 STAR SH561 / 562	148	39
IT31	ITALDEM GK 950 / 960 STAR SH991	149	40
IT32	ITALDEM GK 1350 / 1351 STAR SH1401	151	40
IT33	ITALDEM GK 1600	153	40
IT34	ITALDEM GK 2400	155	41
IT35	ITALDEM GK 3400 / 3500	156	41
IT36	ITALDEM GK 1351S STAR SH1402	152	40
IT37	ITALDEM GK 3800	157	41
IT38	ITALDEM GK 1800	154	40
IT39	ITALDEM GK 1050 STAR SH992	150	40
KB10	KUBOTA KXB 310 RAMMER / SANDVIK BR111 ROBI MH7	335	72
KR10	KRUPP (SEE ALSO ATLAS COPCO) HM45	158	42

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
KR11	ALLIED HY-RAM 700 KRUPP (SEE ALSO ATLAS COPCO) HM50 / 55	159	42
KR12	ALLIED HY-RAM 710 / 711 KRUPP (SEE ALSO ATLAS COPCO) HM60 / 61 / 62 / 75	161	42
KR14	ALLIED HY-RAM 715 KRUPP (SEE ALSO ATLAS COPCO) HM130 / 135 / 140 / 140V	163	42
KR15	ALLIED HY-RAM 725 KRUPP (SEE ALSO ATLAS COPCO) HM170 / 185 / 190 / 190V	164	43
KR16	ALLIED HY-RAM 77 KRUPP (SEE ALSO ATLAS COPCO) HM200	165	43
KR17	ALLIED HY-RAM 730 DEMOTER (VISTIRINI) S430 KRUPP (SEE ALSO ATLAS COPCO) HM300 / 301 / 305	167	43
KR19	ALLIED HY-RAM 740 KRUPP (SEE ALSO ATLAS COPCO) HM550 / 551 / 555 / 560CS / V	169	43
KR20	ALLIED HY-RAM 88 KRUPP (SEE ALSO ATLAS COPCO) HM600 / 601	171	44
KR21	ALLIED HY-RAM 750 KRUPP (SEE ALSO ATLAS COPCO) HM700 / 701 / 702 / 705 / 706	172	44
KR22	ALLIED HY-RAM 750B CHICAGO PNEUMATIC (CP) CP1150 JCB HM1260 / HM1270Q KRUPP (SEE ALSO ATLAS COPCO) HM710 / 711 / 712 / 715 / 720CS / V	173	44
KR25	ATLAS COPCO MB1600 JCB HM1560	39	19
KR25	ALLIED HY-RAM 770B CHICAGO PNEUMATIC (CP) CP1550 / CP1650 / RX22 KRUPP (SEE ALSO ATLAS COPCO) HM950 / 951 / 952 / 957 / 960CS / V	175	44
KR28	ATLAS COPCO HB2200 JCB HM2460	42	20
KR28	ALLIED HY-RAM 785 CHICAGO PNEUMATIC (CP) CP2250 / RX29 / RX30 KRUPP (SEE ALSO ATLAS COPCO) HM1500MV / HB2200	177	45
KR29	ALLIED HY-RAM 795CS KRUPP (SEE ALSO ATLAS COPCO) HM2000MV	178	45
KR30	ATLAS COPCO HB4200 CHICAGO PNEUMATIC (CP) CP4250 / RX53 / RX54 JCB HM4160	46	20
KR30	ALLIED HY-RAM 800 / 805 KRUPP (SEE ALSO ATLAS COPCO) HM2500MV / 2600 / HB4200	180	45
KR31	ALLIED HY-RAM 711B KRUPP (SEE ALSO ATLAS COPCO) HM85 / 90 / 90V	162	42
KR32	ATLAS COPCO MB500	33	18
KR32	ALLIED HY-RAM 735 KRUPP (SEE ALSO ATLAS COPCO) HM350 / 350V / MB500	168	43
KR33	ATLAS COPCO HB7000	49	21
KR33	ALLIED HY-RAM 905 KRUPP (SEE ALSO ATLAS COPCO) HM4000 / HB7000	182	46
KR34	ALLIED AS380 ATLAS COPCO PB420 / 530 BERCO BB80 CHICAGO PNEUMATIC (CP) CP400 / CP550 / RX8 / RX11 SANDHURST SMC XT400	16	15
KR34	KRUPP (SEE ALSO ATLAS COPCO) HM220 / 230	166	43
KR35	KRUPP (SEE ALSO ATLAS COPCO) HM60V	160	42
KR37	ATLAS COPCO MB1700 JCB HM1760	40	19
KR37	ALLIED HY-RAM 775CS KRUPP (SEE ALSO ATLAS COPCO) HM1000V / MB1700	176	45
KR38	ATLAS COPCO MB700 / 800 JCB HM860	34	18
KR38	ALLIED HY-RAM 745 CHICAGO PNEUMATIC (CP) CP750 / RX14 KRUPP (SEE ALSO ATLAS COPCO) HM580 / MB700	170	44
KR39	ATLAS COPCO MB1200	37	19
KR39	ALLIED HY-RAM 755 KRUPP (SEE ALSO ATLAS COPCO) HM780 / MB1200	174	44
KR40	ATLAS COPCO HB3000 / HB3100 CHICAGO PNEUMATIC (CP) CP3050 / RX45 / RX46 ALLIED HY-RAM 797 KRUPP (SEE ALSO ATLAS COPCO) HM2100 / 2300 / HB3000	44	20
KR41	ALLIED AS342 ATLAS COPCO PB110 BERCO BB42 CHICAGO PNEUMATIC (CP) CP100 / RX2 PROMOVE XP101 SANDHURST SMC XT70	12	15
KR42	ALLIED AS352 ATLAS COPCO PB160 BERCO BB52 CHICAGO PNEUMATIC (CP) CP150 / RX3 SANDHURST SMC XT100	13	15
KR43	ALLIED AS362 ATLAS COPCO PB210 BERCO BB62 CHICAGO PNEUMATIC (CP) CP200 / RX4 SANDHURST SMC XT200	14	15
KR44	ALLIED AS370 ATLAS COPCO PB310 BERCO BB70 CHICAGO PNEUMATIC (CP) CP300 / RX6 SANDHURST SMC XT300	15	15
KR46	ATLAS COPCO HB5800	48	21

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
91

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
KR46	KRUPP (SEE ALSO ATLAS COPCO) HM3000 / HB5800	181	45
MB11	IDROMECCANICA IMI 85 ITALDEM K 80 MONTABERT BRH40 OCM8 OMAL 80 OMD 20 PROMOVE PMV90 / P3SH STAR SH40	183	47
MB12	MONTABERT BRH75 / 76 / 90 / 91	184	47
MB13	IDROMECCANICA IMI 260 ITALDEM K 270 MONTABERT BRH125 OCM25 OMAL 235 / 270 / 270S / 276 OMD 30 PROMOVE PMV290 / 390 / P12SH STAR SH280	185	47
MB14	IDROMECCANICA IMI 600 / 605 ITALDEM K 550 JCB HM480 MONTABERT BRH250 / 270 OCM55 OMAL 500 / 550 OMD 50 PROMOVE PMV690 / P16SH STAR SH560	186	47
MB15	EURORAM / GLOBORAM / ROCKMASTER RM115 INDECO MES / UP 1750 / 1800 / HP1800 OMAL 1300	133	36
MB15	IDROMECCANICA IMI 1000 / 1010 ITALDEM K 1000 MONTABERT BRH501 / 570 OCM100 OMAL 1000 / 1050 OMD 100 PROMOVE PMV1000 / P23SH STAR SH990	187	47
MB16	MONTABERT BRH620	188	47
MB17	MONTABERT M900 JCB HM630 MONTABERT BRH625 / 900 PROMOVE P22 STAR SH1200 ITALDEM K 1030	189	48
MB18	IDROMECCANICA IMI 1200 ITALDEM K 1300 MONTABERT BRH750 OCM130 OMD 2000 PROMOVE PMV1390 / P27SH STAR SH1400	190	48
MB19	MONTABERT V1600	216	52
MB21	JCB HM690 MONTABERT V32(BRV32) MONTABERT V1200 / V32	210	51
MB22	MONTABERT V43(BRV43)	211	51
MB24	MONTABERT V53(BRV53)	213	52
MB25	MONTABERT M700	199	49
MB26	MONTABERT M600	198	49
MB29	MONTABERT V65(BRV65)	215	52
MB33	BOBCAT B500 MONTABERT M50 (BRP45 / 50)	192	48
MB34	BOBCAT B600 / B700 MONTABERT M70 (BRP60 / 70)	193	48
MB35	BOBCAT B300 MONTABERT M30 (BRP30)	191	48
MB36	BOBCAT B1200 / B1400 MONTABERT M140 / 150 (BRP130 / 140 / 150)	196	49
MB37	BOBCAT B850 / B950 MONTABERT M85 / 95 / 100 (BRP85 / 95 / 100)	194	48
MB39	MONTABERT M300	197	49
MB40	MONTABERT M125SX	195	49
MB41	BOBCAT B580 MONTABERT SC12	203	50
MB42	BOBCAT B980 MONTABERT SC28	206	51
MB43	BOBCAT B680 MONTABERT SC16	204	50
MB43	ALLIED AR85 INAN MAKINA (MTB) MT 45 MSB MS300H MTB MT45 WIMMER W-330	243	57
MB44	BOBCAT B880 MONTABERT SC22	205	50
MB45	BOBCAT B1180 MONTABERT SC36	207	51
MB46	BOBCAT B380 MONTABERT SC08	202	50
MB47	BOBCAT B280 MONTABERT SC06	201	50
MB48	MONTABERT V45(BRV45)	212	52
MB49	MONTABERT V55(BRV55)	214	52
MB50	MONTABERT V2500	218	53
MB51	MONTABERT V1800	217	52
MB52	MONTABERT SC42	208	51
MB53	MONTABERT SC50	209	51
MB54	DOOSAN DXB100H MONTABERT XL1000	221	53
MB55	DOOSAN DXB130H MONTABERT XL1300	222	53
MB56	DOOSAN DXB170H MONTABERT XL1700	223	53
MB57	DOOSAN DXB190H MONTABERT XL1900	224	54
MB58	DOOSAN DXB260H MONTABERT XL2600	225	54
MB59	MONTABERT V3500	219	53
MB60	MONTABERT V4500	220	53
MS11	MSB MS200	240	57

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
MS12	ALLIED AR70B INAN MAKINA (MTB) MT 25 MSB MS220 / MS230H MTB MT25 WIMMER W-220	241	57
MS14	ALLIED AR95 MSB MS400H WIMMER W-440	244	57
MS15	INAN MAKINA (MTB) MT 120 MSB MS500H / MS520H MTB MT120 WIMMER W-550	246	57
MS19	INAN MAKINA (MTB) MT 360 MSB MS900 MTB MT360 WIMMER W-990	251	58
MS20	ALLIED AR130B INAN MAKINA (MTB) MT 170 MSB MS600 MTB MT170 WIMMER W-660	248	58
MS21	ALLIED AR140 INAN MAKINA (MTB) MT 210 MSB MS700 MTB MT210 WIMMER W-770	249	58
MS22	ALLIED AR75B INAN MAKINA (MTB) MT 35 / 36 MSB MS225 / MS250H MTB MT35 / 36	242	57
MS23	MSB MS450H / MS460H	245	57
MS24	ALLIED AR160C INAN MAKINA (MTB) MT 275 MSB MS800 MS810H MTB MT270 / 275 WIMMER W-880	250	58
MS25	ALLIED AR120 INAN MAKINA (MTB) MT 150 MSB MS550H MTB MT150 WIMMER W-600	247	58
MS29	MSB SAGA 30II	227	55
MS30	MSB MS 35AT	237	56
MS31	MSB MS 45AT	238	56
MS33	MSB MS 75AT	239	56
MS34	MSB MS1000H	252	58
MS35	MSB SAGA 20II	226	55
MS36	MSB SAGA 40II	228	55
MS37	MSB SAGA 50	229	55
MS38	MSB SAGA 80 / 81	230	55
MS39	MSB SAGA 100	231	55
MS40	MSB SAGA 120	232	55
MS41	MSB SAGA 180	233	56
MS42	MSB SAGA 200II / 220	234	56
MS43	MSB SAGA 300	235	56
MS44	MSB SAGA 350	236	56
NP10	NPK H-06X	280	62
NP11	ARROWHEAD 2T NPK H-08X	281	63
NP13	NPK H-1XA	282	63
NP14	ARROWHEAD 4T NPK H-2XA / E	283	63
NP16	NPK H-2X / H-3XA / E	284	63
NP17	NPK H-4X	285	63
NP18	NPK H-6XA	286	63
NP20	NPK H-7XA	287	63
NP22	NPK H-8XA	288	64
NP26	NPK E-210A	269	61
NP27	NPK GH9	264	60
NP27	NPK H-10XB / E / GH9	289	64
NP28	NPK H-12X / E	290	64
NP30	NPK H-16X / E	291	64
NP31	NPK H-20X / E	292	64
NP33	NPK E-235	278	62
NP34	NPK E-213	271	61
NP35	NPK E-220	275	62
NP36	NPK E-24X NPK E-224	276	62
NP37	NPK E-216	273	61
NP39	NPK E-225	277	62
NP43	NPK E-200 / GH06	254	59
NP44	NPK E-201 / GH07	255	59
NP45	NPK E-202 / GH1	256	59
NP46	NPK E-203 / GH2	257	59
NP47	NPK E-204 / GH3	258	59
NP48	NPK E-205 / GH4	259	59
NP49	NPK E-206	260	60

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000THOMAS
TURTONPAGE
92

CATALOGUE NUMBER INDEX

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
NP50	NPK E-12X NPK E-212	270	61
NP51	NPK E-15X NPK E-215	272	61
NP52	NPK E-18X NPK E-218	274	62
NP53	NPK E-207 / GH6	261	60
NP54	NPK E-208	262	60
NP55	NPK GH10	265	60
NP56	NPK E-240A	279	62
NP59	NPK E106	253	59
NP60	NPK GH12	266	60
NP61	NPK GH15	267	61
NP62	NPK GH18	268	61
NP63	NPK GH7	263	60
PJ11	OMAL 80S PEL-JOB MH90 ROTAIR OL90 (WITH COLLAR)	367	77
PR14	PROMOVE XP100	293	65
PR15	PROMOVE XP150	294	65
PR16	PROMOVE XP250	295	65
PR17	PROMOVE XP300 / XP400 / XP450	296	65
PR18	PROMOVE XP550 / XP551	297	65
PR19	PROMOVE XP800	298	65
PR20	PROMOVE XP1200	299	65
PR21	PROMOVE XP1500	300	66
PR23	PROMOVE XP2400	301	66
PR25	PROMOVE XP4500	302	66
RM11	BOBCAT 1750 CATERPILLAR CAT H50 / H50FT JCB HM160 O&K H32 RAMMER / SANDVIK S21 VOLVO HB130	304	67
RM11	KUBOTA KXB 400 / BTB400 RAMMER / SANDVIK BR321	338	72
RM12	JCB HM260 O&K H65 RAMMER / SANDVIK S23 ROBI BH30 VOLVO HB300	306	67
RM12	KUBOTA KXB 500 RAMMER / SANDVIK BR623	343	73
RM13	CATERPILLAR CAT H70 / H70FT RAMMER / SANDVIK S24	307	67
RM14	JCB HM360 O&K H85 RAMMER / SANDVIK S25 ROBI BH50 VOLVO HB440	308	67
RM14	KUBOTA KXB 600 RAMMER / SANDVIK BR825	345	73
RM15	CATERPILLAR CAT H90 / H90FT DAINONG (DNB) DNB D50 JCB HM460 RAMMER / SANDVIK S26	309	68
RM16	CATERPILLAR CAT 110 / B110 RAMMER / SANDVIK S52	312	68
RM17	CATERPILLAR CAT 115C / 116 DAINONG (DNB) DNB D60 JCB HM560 RAMMER / SANDVIK S54	313	68
RM18	CATERPILLAR CAT H120S JCB HM660 JCB HM1350 RAMMER / SANDVIK S55 / E66	314	68
RM18	O&K H260 RAMMER / SANDVIK E66 / S55	323	70
RM18	RAMMER / SANDVIK BR2266	355	75
RM19	CATERPILLAR CAT C130 DAINONG (DNB) DNB D70 / 90 JCB HM760 RAMMER / SANDVIK S56	315	69
RM20	RAMMER / SANDVIK S82	316	69
RM21	CATERPILLAR CAT 140 / B140S / H140AS DAINONG (DNB) DNB D110 RAMMER / SANDVIK S83	317	69
RM22	CATERPILLAR CAT 160 / B160 / H160AS JCB HM960 RAMMER / SANDVIK S84	318	69
RM23	CATERPILLAR CAT 170 / B170 / H170 DAINONG (DNB) DNB D160 RAMMER / SANDVIK S86	319	69
RM24	CATERPILLAR CAT H100 / H100FT JCB HM850 O&K H150 RAMMER / SANDVIK S29 ROBI BH80 VOLVO HB800	311	68
RM24	RAMMER / SANDVIK BR1129	348	74
RM25	CATERPILLAR CAT H63 / H63FT O&K H45 RAMMER / SANDVIK S22 VOLVO HB200	305	67
RM25	KUBOTA KXB 450 RAMMER / SANDVIK BR422	340	73
RM27	JCB HM550 O&K H120 RAMMER / SANDVIK S27 VOLVO HB600	310	68
RM27	RAMMER / SANDVIK BR927	346	73

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
RM30	CATERPILLAR CAT H115S JCB HM1050 &K H200 RAMMER / SANDVIK E64	321	70
RM30	RAMMER / SANDVIK BR2064	351	74
RM32	CATERPILLAR CAT H130S JCB HM1750 O&K H310 RAMMER / SANDVIK E68 VOLVO HB1700	324	70
RM32	ROBI EH170 RAMMER BR2568 / E68	356	75
RM33	JCB HM1450 RAMMER / SANDVIK E65 VOLVO HB1400	322	70
RM33	RAMMER / SANDVIK BR2265	354	75
RM34	JCB HM1150 RAMMER / SANDVIK E63 VOLVO HB1100	320	69
RM34	RAMMER / SANDVIK BR2063	350	74
RM35	CATERPILLAR CAT H140CS / 140DS JCB HM2350 O&K H380 RAMMER / SANDVIK G80 VOLVO HB2400	325	70
RM36	CATERPILLAR CAT H160CS.H160DS JCB HM2950 O&K H530 RAMMER / SANDVIK G90 VOLVO HB3200	327	71
RM36	RAMMER / SANDVIK BR3890	360	76
RM40	CATERPILLAR CAT 195 / B195 / H195 RAMMER / SANDVIK G120	331	71
RM41	CATERPILLAR CAT H180S JCB HM3850 RAMMER / SANDVIK G100	329	71
RM41	RAMMER / SANDVIK BR4510	362	76
RM42	RAMMER / SANDVIK BR4511 / G110	363	76
RM43	RAMMER / SANDVIK G130	332	71
RM43	RAMMER / SANDVIK BR7013	365	76
RM44	RAMMER / SANDVIK M14 / BR 2214	333	72
RM44	RAMMER / SANDVIK BR2214	353	74
RM45	RAMMER / SANDVIK M18 / BR2518	334	72
RM46	RAMMER / SANDVIK G88	326	70
RM46	RAMMER / SANDVIK BR3088 / 3288 ROBI EH240	359	75
RM60	CATERPILLAR CAT H45 / H45FT KUBOTA KXB 300 / 350 RAMMER / SANDVIK S18 PICCOLO VOLVO HB80	303	67
RT11	IDROMECCANICA IMI 88 PEL-JOB MH95 ROTAIR OL90 / 95	368	77
RT12	PEL-JOB MH180 ROTAIR OL180 / 260	370	77
RT13	ROTAIR OL 250 / 330	371	77
RT14	ROTAIR OL130 / 160	369	77
SO10	SOCOMECC MDO 500	382	79
SO11	SOCOMECC MDO 550	384	79
SO12	SOCOMECC MDO 750	385	79
SO13	SOCOMECC DMS 410	380	79
SO14	SOCOMECC MDO 1450	387	80
SO17	SOCOMECC MDO 2050	389	80
SO19	SOCOMECC MDO 900V	386	80
SO20	SOCOMECC MDO 1950	388	80
SO21	SOCOMECC DMS 220 / MDO 100	376	78
SO22	SOCOMECC MDO 3200 / MDO 3000	390	80
SO23	SOCOMECC DMS 310 / 330 / MDO 250 / 260	378	78
SO24	SOCOMECC DMS 270	377	78
SO25	SOCOMECC DMS 95 / 95-2 / MDO 55	373	78
SO26	SOCOMECC DMS 150 / 160 / 165 MDO 80	374	78
SO27	SOCOMECC DMS 430 / MDO 450	381	79
SO28	SOCOMECC DMS 50	372	77
SO34	SOCOMECC DMS 680 / 740 / 850 / 910	383	79
SO35	SOCOMECC DMS 210	375	78
SO36	SOCOMECC MDO 4000	391	80
SS10	SOOSAN SB30	394	81
SS11	SOOSAN SB40 / SB4	396	81
SS12	DEHACO DBH15 SOOSAN SB20	393	81
SS13	SOOSAN SB45 / SB5	398	82
SS14	SOOSAN SB50	399	82

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000



**THOMAS
TURTON**

PAGE
93

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CATALOGUE NUMBER INDEX

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000THOMAS
TURTONPAGE
94© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
SS16	SOOSAN SB60	400	82
SS18	SOOSAN SB10	392	81
SS19	SOOSAN SB121 / 120A	404	83
SS21	DEHACO DBH380 SOOSAN SB151	406	83
SS22	SOOSAN SB43	397	81
SS23	SOOSAN SB100	403	82
SS24	SOOSAN SB130 / 140	405	83
SS26	SOOSAN SB35	395	81
SS28	SOOSAN SB70 / SB71	401	82
SS30	SOOSAN SB81	402	82
SV3	RAMMER / SANDVIK G99	328	71
SV3	RAMMER / SANDVIK BR4099	361	76
SV10	RAMMER / SANDVIK BR2155	352	74
SV11	RAMMER / SANDVIK BR2577	357	75
SV13	RAMMER / SANDVIK BR555	342	73
SV14	RAMMER / SANDVIK BR777	344	73
SV15	RAMMER / SANDVIK BR999	347	74
SV17	RAMMER / SANDVIK BR1533	349	74
SV18	RAMMER / SANDVIK BR5011	364	76
TK11	DRAGO DRH50 / 60 / 70 / 80 INAN MAKINA (MTB) MT 15 KOMATSU JTHB20 MTB MT15 TELEDYNE TB120 / 125 TOKU (BTI) TNB 1E / 2M	409	84
TK12	DRAGO DRH120 HUPPI 102 KOMATSU JTHB30 TELEDYNE TB180 / 225 TOKU (BTI) TNB 2E / 3M	410	84
TK13	DRAGO DRH180 / 250 HUPPI 302 KOMATSU JTHB50 TELEDYNE TB220 / 325 TOKU (BTI) TNB 4E / 5M	412	84
TK14	DRAGO DRH280 HUPPI 402 KOMATSU JTHB60 / 65 TELEDYNE TB400 / 425 / 625 TOKU (BTI) TNB 6E / 6.5E / 7M	413	85
TK15	DRAGO DRH650S / 900 HUPPI 902 KOMATSU JTHB100 TELEDYNE TB700 / 725 / 750 / 825 TOKU (BTI) TNB 7E / 10E	415	85
TK16	DRAGO DRH1150S / 1600S TELEDYNE TB900 / 925 / 975 / 1000 / 1025 TOKU (BTI) TNB 14E / 16E	416	85
TK18	DRAGO DRH1900 TELEDYNE TB1300 / 1425 TOKU (BTI) TNB 22E / 23E	417	85
TK19	TELEDYNE TB1825 / 2075 TOKU (BTI) TNB-31E / 30E	418	85
TK20	DRAGO DRH150 KOMATSU JTHB40 TELEDYNE TB275 / TB285 TOKU (BTI) TNB 3E / 4M	411	84
TK21	TELEDYNE TB830 TOKU (BTI) TNB 100	419	86
TK22	HUPPI 1900 / 1902 KOMATSU JTHB150 TELEDYNE TB980 TOKU (BTI) TNB 150 / 151	420	86
TK23	KOMATSU JTHB230 TELEDYNE TB1680 TOKU (BTI) TNB 230	422	86
TK25	KOMATSU JTHB190 TOKU (BTI) TNB 190	421	86
TK27	KOMATSU JTHB310 TELEDYNE TB2080 TOKU (BTI) TNB 310	423	86
TK29	HUPPI 72 KOMATSU JTHB10 TOKU (BTI) TNB 08E / 1M	408	84
TK30	HUPPI 52 KOMATSU JTHB08 TOKU (BTI) TNB 08M	407	84
TK32	KOMATSU JTHB400 TELEDYNE TB2580 TOKU (BTI) TNB 400	424	86
TK34	TOKU (BTI) TNB 7J	414	85
T011	DEHACO DHB 75 KOMATSU JKHB71 TAKEUCHI TKB-71 TOYO THBB 71	427	87
T012	DEHACO DHB165 KOMATSU JKHB101 TAKEUCHI TKB-101 TOYO THBB 101	428	87
T013	DEHACO DHB 305 KOMATSU JKHB301 TAKEUCHI TKB-301 TOYO THBB 301	430	87
T014	DEHACO DHB 405 KOMATSU JKHB401 TAKEUCHI TKB-401 TOYO THBB 401	431	88
T015	DEHACO DHB 805 DEHACO DHB 3205 (4105) KOMATSU JKHB801 TAKEUCHI TKB-801 TOYO THBB 801	432	88
T016	DEHACO DHB 1305 KOMATSU JKHB1401 TAKEUCHI TKB-1401 TOYO THBB 1401	434	88
T017	DEHACO DHB 2305 KOMATSU JKHB2000 TAKEUCHI TKB-2000 TOYO THBB 2000	436	88

CAT. NUM.	HAMMER TYPE	FIG. NUM.	PAGE NUM.
T018	DEHACO DHB 35 KOMATSU JKHB31 TAKEUCHI TKB-31 TOYO THBB 31	425	87
T019	DEHACO DHB 55 KOMATSU JKHB51 TAKEUCHI TKB-51 TOYO THBB 51	426	87
T020	DEHACO DHB 1250 KOMATSU JKHB1101 TAKEUCHI TKB-1101 TOYO THBB 1101	433	88
T021	DEHACO DHB 1605 (1405) KOMATSU JKHB1600 TAKEUCHI TKB-1600 TOYO THBB 1600	435	88
T022	KOMATSU JKHB3000 TAKEUCHI TKB-3000 TOYO THBB 3000	437	89
T023	JKHB (KOMATSU) JKHB 201 TAKEUCHI TKB-201 TOYO THBB-201	429	87


The purpose of this guide is to provide advice on the correct application of Thomas Turton Demolition Tools and assist in analysing and resolving any complaints immediately they occur.

Cause and Effect of Fatigue Failures

The continuous cycle of compressive and tensile stresses in a Demolition Tool, even under correct operating conditions, creates fatigue stress in the tool which can lead to fatigue failure of the tool before it is worn out. Anything which interferes with the normal operational cycle of compressive and tensile stresses will increase the level of fatigue stress being applied to the tool, increasing the risk of early fatigue failure.

1) Leverage/Bending

The main cause of increased fatigue stress in a demolition tool is any form of side pressure during service which creates bending. Utilising the tool as a lever, using the incorrect driving angle or attempting to break ground using the “pull” of the machine are all detrimental to the life of a demolition tool and should be avoided (see Figure 1).




2) “Free Running”/“Blank Firing”

This can arise in any situation where the working end is not in proper contact with the material to be broken. This includes jobs where the tool slides off the work and also when break-through of thin concrete slabs or boulders occurs. It is essential that the tool is applied at a right-angle to the working surface at all times.

3) Lubrication

Regular lubrication is essential. Any form of damage to the surface of a demolition tool renders it more liable to suffer fatigue failure. Care must be taken to prevent accidental gouging or contact welding (“galling” or “pickup”) due to contact between the tool and chuck bushings either through lack of lubrication or excessive leverage (see Figure 2).

Figure 2



4) Cold/Corrosion

Low temperature causes a Demolition Tool to be more susceptible to fatigue failure. Tools should be kept sheltered from the weather when not in use. A rusty Demolition Tool is more likely to suffer fatigue failure, so tools should be kept well greased.

5) Worn Internal Hammer Parts

Worn hammer parts can cause the tool to be held too “loosely”. This can create surface damage on the tool, which can lead to fatigue failure of the tool.

Worn parts can also cause uneven striking on the tool, which may lead to fatigue failure of the tool and damage to the piston.

Continued...

FOR HELP IN FINDING THE RIGHT PRODUCT FOR YOU,
THEN JUST CALL +44-1246-290000




PAGE
95

© 2016 Thomas Turton Ltd.
Dronfield, Sheffield, England.

WARRANTY GUIDE


6) Typical Failures (Guide to Warranty Claims)

Thomas Turton Demolition Tools are manufactured from first class materials and then heat-treated to produce tools with optimum fatigue and wear resistance. When a tool has apparently failed to give satisfactory service life, a brief visual inspection can often give a quick indication of the cause.




- a) Typical fractures caused by excessive bending/leverage of the demolition tool.

Warranty claims rejected.




- b) Typical of high stress fracture, usually caused by using the tool as an anchor to "pull" the machine.

Warranty claims rejected




- c) Typical fracture caused by levering tool whilst buried in the burden.

Warranty claims rejected.



- d) Typical fractures caused by blank firing and/or excessive chuck bush wear/damage.

Warranty claims rejected.




- e) Typical fractures caused by blank firing and/or twisting of the tool due to worn/damaged retainer pin.

Warranty claims rejected.




- f) Typical fracture caused by lack of lubrication and/or chuck bush wear/damage.

Warranty claims rejected.



- g) Mushrooming: this is caused by driving the chisel or point into hard dense material for too long a period of time without penetration. This generates intense heat, softening the point and causing it to "mushroom". This is not a manufacturing fault.

Warranty claims rejected.



- h) Note fatigue lines originate from the internal point, not outer diameter. Very rare failure type due to steel defect. 100% warranty accepted.